

ILLUSTRATED PARTS CATALOG

for

IO-520 SERIES

AIRCRAFT ENGINES

NOTICE:

Part numbers appearing herein are trademarks of
Continental Motors Corporation.

FORM NO. X-30040A

MAY 1969

CURRENT STATUS OF PAGES AS OF**MAY 1, 1969****THE ORIGINAL DATE OF THIS PUBLICATION IS MAY 1, 1969****INSERT LATEST PAGES. DESTROY SUPERSEDED PAGES.****MODEL IO-520 PARTS CATALOG FORM X-30040A**

PAGE	STATUS	PAGE	STATUS	PAGE	STATUS
i	May 1969	35	May 1969	B1	May 1969
ii	May 1969	36	May 1969	B2	Blank
iii	May 1969	37	May 1969	B3	May 1969
iv	Blank	38	May 1969	B4	Blank
v	May 1969	39	May 1969		
vi	May 1969	40	May 1969		
		41	May 1969		
		42	May 1969	C1	May 1969
1	May 1969	43	May 1969	C2	Blank
2	May 1969	44	May 1969		
3	May 1969	45	May 1969	D1	May 1969
4	May 1969	46	May 1969	D2	May 1969
5	May 1969	47	May 1969	D3	May 1969
6	May 1969	48	May 1969	D4	May 1969
7	May 1969	49	May 1969	D5	May 1969
8	May 1969	50	May 1969	D6	Blank
9	May 1969	51	May 1969	D7	May 1969
10	May 1969	52	May 1969	D8	Blank
11	May 1969	53	May 1969	D9	May 1969
12	May 1969	54	May 1969	D10	Blank
13	May 1969	55	May 1969	D11	May 1969
14	May 1969	56	May 1969	D12	May 1969
15	May 1969	57	May 1969	D13	May 1969
16	May 1969	58	May 1969	D14	May 1969
17	May 1969	59	May 1969	D15	May 1969
18	May 1969	60	May 1969	D16	May 1969
19	May 1969	61	May 1969	D17	May 1969
20	May 1969	62	May 1969	D18	May 1969
21	May 1969				
22	May 1969				
23	May 1969				
24	May 1969	A1	May 1969		
25	May 1969	A2	Blank	F1	May 1969
26	May 1969	A3	May 1969	F2	May 1969
27	May 1969	A4	May 1969	F3	May 1969
28	May 1969	A5	May 1969	F4	May 1969
29	May 1969	A6	May 1969	F5	May 1969
30	May 1969	A7	May 1969	F6	Blank
32	May 1969	A8	May 1969	F7	May 1969
33	May 1969	A9	May 1969	F8	Blank
34	May 1969	A10	May 1969		

TABLE OF CONTENTS

SECTION I	PAGE	CODE
CURRENT STATUS OF PAGES	ii	All
INTRODUCTION	v	All
ABBREVIATIONS AND SYMBOLS	v	All
ACCESSORY MANUFACTURERS	vi	All
 SECTION II	 vi	All
GROUP ASSEMBLY PARTS LIST	vi	All
USABLE ON CODE	vi	All
Figure 1 - Crankcase Studding Assembly	1	ADEFJKL
Figure 2 - Crankcase Attaching Parts	3	ADEFJKL
Figure 3 - Crankcase Associated Parts	5	ADEFJKL
Figure 4 - Crankcase Studding Assembly	6	BC
Figure 5 - Crankcase Attaching Parts	7	BC
Figure 6 - Crankcase Associated Parts	8	BC
Figure 7 - Crankshaft Group	10	ADEFJKL
Figure 8 - Crankshaft Group	11	BC
Figure 9 - Camshaft Group	12	ADEFJKL
Figure 10 - Camshaft Group	13	BC
Figure 11 - Connecting Rod Assembly	14	All
Figure 12 - Piston and Pin Assembly	14	All
Figure 13 - Cylinder Assembly	15	All
Figure 14 - Oil Pump Assembly	16	ADEFJKL
Figure 15 - Oil Pump Assembly	18	BC
Figure 16 - Starter and Starter Adapter Assy	20	ADEFJKL
Figure 17 - Starter and Starter Adapter Assy	22	BC
Figure 18 - Generator Assembly	24	A
Figure 19 - Alternator Assembly	25	BC
Figure 20 - Generator Assembly	26	E
Figure 21 - Alternator Assembly	27	K
Figure 22 - Oil Cooler	28	ADEFJKL
Figure 23 - Oil Cooler	29	BC
Figure 24 - Oil Sump	30	ACDEFK
Figure 25 - Oil Sump	31	B
Figure 26 - Oil Sump	32	JL
Figure 27 - Fuel Induction System	33	D
Figure 28 - Fuel Induction System	36	ABCDFJKL
Figure 29 - Fuel Induction System	36	E
Figure 30 - Fuel Injection System	39	AFJKL
Figure 31 - Fuel Injection System	41	B
Figure 32 - Fuel Injection System	43	C
Figure 33 - Fuel Injection System	45	D
Figure 34 - Magneto & Accessory Drive Assy	46	All
Figure 35 - Ignition System	47	ADFJKL
Figure 36 - Ignition System	49	BCE
 SECTION III - OVER & UNDERSIZE LIST	 51	All
 SECTION IV - REPAIR SETS & MATERIALS	 52	All
 SECTION V - NUMERICAL PARTS LIST	 53	All
 SECTION VI - CUSTOMER SPECIFICATIONS		

SECTION I

INTRODUCTION

1-1. In line with the Continental Motors Corporation program of product improvement, this parts catalog is presented in looseleaf form. Changes will be issued as they occur to those pages which are affected only. In this manner, the parts catalogs will be kept current at all times with manufacturing and service requirements. Changes to this and all subsequent parts catalogs produced in this manner will be available at the nearest Approved Distributor or from the Continental Motors Product Support Center, Elk Grove Village, Illinois 60007.

1-2. Page ii of this publication depicts the current status of pages as of the date listed. Each page in the catalog is also dated. To be current, the date on the page should match the date listed for that page on the Status Page. With each change to the catalog issued, a change to the current Status Page will necessarily be issued.

1-3. In this edition, currently available parts are listed for models IO-520-A through IO-520-L. If accessories or parts attached to any engine installed in an aircraft manufactured in the United States under a production model number do not appear in this catalog, determine whether they are available from the aircraft manufacturer before placing an order with a Continental Authorized Distributor.

1-4. Section II contains 36 figures, in each of which one of the major assemblies or groups of the engine is illustrated in "exploded" form. Each figure has its own set of index numbers to indicate the sub-parts. The list of parts in the assembly or group appears on the same page with the illustration or on an adjacent page. The first column of each assembly group list contains the figure number (not repeated on all lines) and, following a dash, the index numbers of the sub-parts in numerical order. Do not order parts by index number. Use the part number, which appears in the second column. Use the name of the part which appears in the column under the title "DESCRIPTION".

1-5. Do not order any parts listed herein when "NO NUMBER" appears on the same line in the part number column or when "NOT SOLD" herein abbreviated as "NS" appears in the "UNITS PER ASSEM" column,

because these parts are not suitable for installation without factory equipment, or they are major parts of assemblies and are more economically supplied in the assembled condition, or they are assemblies which would have to be disassembled for installation. To replace any detail part "NOT SOLD" order the smallest assembly containing the part (listed above, with name beginning one column to left). To replace any assembly "NOT SOLD", order whatever subassemblies and detail parts (listed below it, with names identical) that are in need of replacement.

1-6. Quantities of parts, as listed in Section II, are for specific application in one assembly. Total quantities of all parts are listed in Section V. Similar assemblies listed in Section II are combined, and quantities of sub-parts are for one assembly. Application code letters in the last column indicate on which models assemblies and sub-parts are used. Sub-parts have the same code letter as their parent assembly.

1-7. Oversize and undersize parts are listed in Section III. These parts must be ordered by the numbers listed herein, with correct descriptions, to avoid errors. Corresponding standard size part numbers in Section II are preceded by a symbol (†) to indicate the availability of the non-standard size. (Refer to list of abbreviations and symbols.)

1-8. Sets of parts listed in Section IV are usually wanted in such groups for overhaul work and should be ordered by set part numbers.

1-9. Section V contains a list of part numbers arranged in numerical order in the first column. If the number of any desired part is known the name may be located by referring to the figure and index number in Section II, which is listed opposite the part number in Section V.

1-10. Section VI contains a parts listing of customer specifications of the basic engines of each model. Only the differences between the customer specification and the basic engine are shown.

Only those specifications which were sold in quantities of 25 or more are covered herein.

LIST OF ABBREVIATIONS AND SYMBOLS

SYMBOL	DEFINITION	SYMBOL	DEFINITION
AR	As Required	PD	Pitch diameter (thread)
dia.	Diameter	RF	Refer to
ID	Inside diameter	NPT	National Pipe Tap (or thread)
in.	Inches	US	Undersize
mm	Millimeters	No.	Number
OD	Outside diameter	†	Oversize parts available
OP	Optional	†	Undersize parts available
OS	Oversize	- - - * - - -	End of group of attaching parts
NS	Not Sold		
\$	Parts included in a set		

ACCESSORY MANUFACTURERS

ACCESSORY	MANUFACTURER	ADDRESS
Generator/Alternator	Delco-Remy	United Motors Service General Motors Bldg. Detroit, Michigan 48200
	Prestolite	The Prestolite Company Div. of Eltra Corporation 511 Hamilton Street Toledo, Ohio 43601
Starter	Delco-Remy	United Motors Service General Motors Bldg. Detroit, Michigan
	Prestolite	The Prestolite Company Div. of Eltra Corporation 511 Hamilton Street Toledo, Ohio 43601
Magnetos	Slick Electro, Inc.	Slick Electro, Inc. Rockford, Illinois 61100
	Scintilla	Scintilla Magneto Division, Bendix Aviation Corporation Sidney, New York 13838

USABLE ON CODE

MODEL	CODE
IO-520-A	A
IO-520-B	B
IO-520-C	C
IO-520-D	D
IO-520-E	E
IO-520-F	F
IO-520-J	J
IO-520-K	K
IO-520-L	L

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION							UNITS PER ASS'Y.	USABLE ON CODE
		1	2	3	4	5	6	7		
1-	No Number	Crankcase, Complete							NS	ADEFJKL
	631596	. . Studding Assembly, Crankcase							1	ADEFJK
	634685	. . Studding Assembly, Crankcase							1	L
- 1	No Number	. . . Crankcase, 1-3-5 Side							NS	ADEFJKL
- 2	No Number	. . . Crankcase, 2-4-6 Side							NS	ADEFJKL
- 3	537721	. . . Bearing, Needle							1	ADEFJKL
- 4	531548	. . . Dowel, 5/16 X 11/16 In. Lg.							2	ADEFJKL
- 5	MS122162	. . . Insert, Thread							5	ADEFJKL
- 6	401808	† . . Stud, 1/4 X 1-5/16 In. Lg.							5	ADEFJKL
- 7	401814	† . . Stud, 5/16 X 1-7/8 In. Lg.							4	ADEFJKL
- 8	401861	† . . Stud, 3/8 X 1-3/4 In. Lg.							16	ADEFJKL
- 9	401870	† . . Stud, 1/4 X 1-1/8 In. Lg.							2	ADEFJKL
- 10	401885	† . . Stud, 5/16 X 1-5/16 In. Lg.							12	ADEFJKL
- 11	401893	† . . Stud, 1/4 X 1-1/4 In. Lg.							1	ADEFJKL
- 12	401965	† . . Stud, 3/8 X 1-17/32 In. Lg.							2	ADEFJKL
- 13	402129	† . . Stud, 1/4 X 2-3/4 In. Lg.							2	ADEFJKL
- 14	402151	† . . Stud, 5/16 X 1-1/4 In. Lg.							2	ADEFJKL
- 15	402158	† . . Stud, 1/4 X 4-13/32 In. Lg.							5	ADEFJKL
- 16	402159	† . . Stud, 1/4 X 4-3/32 In. Lg.							2	ADEFJKL
- 17	531590	† . . Stud, 5/16 X 1-1/8 In. Lg.							1	ADEFJL
- 18	535956	† . . Stud, No. 10 X 5/8 In. Lg.							4	ADEFJKL
- 19	538404	† . . Stud, 7/16 X 1-19/32 In. Lg.							24	ADEFJKL
- 20	631867	† . . Stud, 7/16 X 2-1/16 In. Lg.							12	ADEFJKL
- 21	2024	. . . Plug, 1/8-27 NPT							1	ADEFJKL
- 22	2025	. . . Plug, 3/8-18 NPT							4	ADEFJKL
- 23	629518-1	. . . Plug, 1/8-27 NPTF							1	ADEFJKL
- 24	629518-3	. . . Plug, 3/8-18 NPTF							2	ADEFJKL
- 25	532432	. . . Plug, Machine Thd, 5/8-18							1	ADEFJKL
- 26	AN900-10	\$. . Gasket, Copper							1	ADEFJKL
- 27	631927	. . . Housing, Oil Gauge Rod							1	ADEFJKL
- 28	537299	. . . Ring, Oil Gauge Lock							1	ADEFJKL
- 29	537505	. . . Breather Assembly, Crankcase							1	ADEFJKL
- 30	629847	. . . Nozzle, Squirt							6	ADEFJKL
- 31	629846	. . . Screen, Squirt, Nozzle							6	ADEFJKL




Figure 1. Crankcase Studding Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
2-	No Number		Crankcase Assembly	1	ADEFJKL
- 1	538944-10.50	.	Bolt, Crankcase Thru.	4	ADEFJKL
- 2	538944-8.88	.	Bolt, Crankcase Thru.	2	ADEFJKL
- 3	539050-9.81	.	Bolt, Crankcase Thru.	1	ADEFJKL
- 4	539050-10.75	.	Bolt, Crankcase Thru.	7	ADEFJKL
- 5	25171	.	Spacer, Crankcase Thru Bolt	12	ADEFJKL
- 6	531001	.	Nut, Flanged Crankcase Thru Bolt	12	ADEFJKL
- 7	2958	.	Palnut, Crankcase Thru Bolt	12	ADEFJKL
- 8	538989	.	Washer, Plain, 1/2 In.	3	ADEFJL
- 8	538989	.	Washer, Plain, 1/2 In.	4	K
- 9	539952	.	Nut, Plain, 1/2-20	3	ADEFJKL
-10	AN356-820	.	Palnut.	3	ADEFJKL
-11	AN5-12A	.	Bolt.	9	ADEFJKL
-12	AN960-516	.	Washer, Plain	12	ADEFJKL
-13	AN936A516	.	Washer, Lock	12	ADEFJKL
-14	AN315-5R	.	Nut, Plain, Hex	12	ADEFJKL
-15	AN123861	\$	O-Ring	1	ADEFJKL
-16	401506	.	Washer, Plain	1	ADEFJKL
-17	2473	.	Washer, Plain	3	ADEFJL
-17	2473	.	Washer, Plain	4	K
-18	627433	.	Bolt, 5/16-18 X 5-1/4 In. Lg.	4	ADEFJ
-18	627433	.	Bolt, 5/16-18 X 5-1/4 In. Lg.	5	KL
-19	AN123862	\$	O-Ring	2	ADEFJKL
-20	24239	.	Washer, Plain	2	ADEFJKL
-21	AN936A616	.	Washer, Lock	1	ADEFJKL
-22	535810	.	Bolt, 3/8-24 X 9-13/16 In. Lg.	1	ADEFJKL
-23	2441	.	Nut, Plain, Hex	1	ADEFJKL
-24	No Number	.	Manifold Valve & Bracket Assembly, Fuel	NS	ADEFJKL
			ATTACHING PARTS		
-25	AN960-516	.	Washer, Plain	2	ADEFJKL
-26	AN5-12A	.	Bolt.	1	ADEFJKL
-27	AN936A516	.	Washer, Lock	1	ADEFJKL
-28	AN315-5R	.	Nut, Plain, Hex	1	ADEFJKL
		*			
-29	538650	.	Eye, Engine Lifting	1	ADEFJKL
			ATTACHING PARTS		
-30	538949	.	Washer, Crankcase-to-Lifting Eye	1	ADEFJKL
-31	AN5-14A	.	Bolt.	2	ADEFJKL
-32	AN960-516	.	Washer, Plain	2	ADEFJKL
-33	AN936A516	.	Washer, Lock	2	ADEFJKL
-34	AN315-5R	.	Nut, Plain, Hex	2	ADEFJKL
		*			
-35	626990	.	Clip, Oil Transfer	1	ADEFJKL
			ATTACHING PARTS		
-36	AN500A10-4	.	Screw	2	ADEFJKL
		*			
-37	634936	*	Plate, Identification	1	A
-37	633191	*	Plate, Identification	1	D
-37	633450	*	Plate, Identification	1	E
-37	633977	*	Plate, Identification	1	F
-37	635960	*	Plate, Identification	1	J
-37	636190	*	Plate, Identification	1	K
-37	636196	*	Plate, Identification	1	L
			ATTACHING PARTS		
-38	24764	.	Screw, Drive, 1/16 X 1/8 In. Lg.	6	ADEFJKL
		*			

NOTE: (*) Return original plate with order. If not legible, also supply Model and Serial Number.




Figure 2. Crankcase Attaching Parts.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASSY.	USABLE ON CODE
3-	No Number		Crankcase Assembly	NS	ADEFJKL
- 1	539518		. Bracket, Engine Mount	4	A
- 1	539518		. Bracket, Engine Mount	3	DEFJKL
- 2	628257		. Bracket, Engine Mount, No. 2 Cylinder	1	DEFJL
- 2	634673		. Bracket, Engine Mount and Alternator	1	K
			ATTACHING PARTS		
- 3	539058		. Washer, Plain	16	ADEFJKL
- 4	AN936A616		. Washer, Lock	16	ADEFJKL
- 5	2441		. Nut, Plain, Hex	16	ADEFJKL
- 6	632357		. Spacer, Bracket Engine Mount, No. 2 Cylinder	1	DEFJL
- 7	627690		. Bracket, Generator	1	AEF
			ATTACHING PARTS		
- 8	538989		. Washer, Plain	1	ADEFL
- 9	538969		. Nut, Flanged	1	ADEFL
-10	AN356-820		. Palnut	1	ADEFL
-11	2794		. Washer, Plain	1	AEF
-12	AN936A516		. Washer, Lock	1	ADEFL
-13	AN315-5R		. Nut, Plain, Hex	1	ADEFL
-14	2473		. Washer, Plain	1	ADEFL
-15	AN936A516		. Washer, Lock	1	ADEFL
-16	627433		. Bolt, 5/16-18 X 5-1/4 In. Lg.	1	ADEFL
-17	534740	\$. Gasket, Idler Support Pin	1	ADEFJKL
-18	534728		. Pin, Idler Gear Support	1	ADEFJKL
			ATTACHING PARTS		
-19	AN936A416		. Washer, Lock	2	ADEFJKL
-20	2437		. Nut, Plain, Hex	2	ADEFJKL
-21	627412		. Valve Assembly, Vernatherm Control	1	ADEFJKL
-22	626963		. Retainer, Oil Seal & Felt	2	ADEFJKL
			ATTACHING PARTS		
-23	AN960-10L		. Washer, Plain	4	ADEFJKL
-24	AN936A10		. Washer, Lock	4	ADEFJKL
-25	13XX1896		. Nut, Plain, Hex	4	ADEFJKL
-26	531083	\$. Gasket, Governor Pad	1	ADEFJKL
-27	36181		. Cover, Governor Pad	1	ADEFJKL
			ATTACHING PARTS		
-28	22535		. Washer, 5/16 X 9/16 X 1/4 In. Thick	4	ADEFJKL
-29	2473		. Washer, Plain	4	ADEFJKL
-30	AN936A516		. Washer, Lock	4	ADEFJKL
-31	AN315-5R		. Nut, Plain, Hex	4	ADEFJKL
-32	538804	\$. Gasket, Oil Filler Neck	1	ADEFJKL
-33	538801		. Neck Assembly, Oil Filler	1	AEFJKL
-33	538773		. Neck Assembly, Oil Filler	1	D
			ATTACHING PARTS		
-34	AN500A416-8		. Screw	3	ADEFJKL
	539291		. Retainer Assembly, Oil Cap	1	AEFJKL
	631755		. Retainer Assembly, Oil Cap	1	D
	534632		. Cap Assembly, Oil Filler	1	ADEFJKL
-35	535823		. . Gasket, Oil Filler	1	ADEFJKL
-36	No Number	#*	. . Cap, Oil Filler	NS	ADEFJKL
	632062-2A1		#*. Rod Assembly, Oil Gauge, Complete	1	AEF
-37	AN123861		. . O-Ring	1	ADEFJKL
-38	No Number	#*	. . Rod Assembly, Oil Gauge	NS	AEFJKL
-38	632062-4	#*	. . Rod Assembly, Oil Gauge	1	D
-38	632062-15	#*	. . Rod Assembly, Oil Gauge	1	J
-38	632062-12	#*	. . Rod Assembly, Oil Gauge	1	K
-38	632062-16	#*	. . Rod Assembly, Oil Gauge	1	L

NOTES: (*) These parts shipped loose.

(#) When ordering oil gauge rod, supply engine model, airplane model and year airplane was built.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
3-39	631928		. Hose, Housing Ext-to-Housing	1	ADEFJKL
-40	631915	*	. Housing, Ext, Oil Gauge Rod	1	AEFJL
-40	632151	*	. Housing, Ext, Oil Gauge Rod	1	D
-40	634630	*	. Housing, Ext, Oil Gauge Rod	1	K
-41	36151R	*	. Clamp, Hose, Worm Type	2	ADEJKL
-42	631266-1	*	. Clamp, Housing-to-Bracket	1	ADEJKL
-43	631275-2	*	. Bracket, No. 2 Cylinder Intake, Manifold Flange	1	AEFJL
-43	632149	*	. Bracket, Oil Gauge Housing	1	D
			ATTACHING PARTS		
-44	AN501-10-6	*	. Screw	1	ADEFJKL
-45	2471	*	. Washer, Plain	1	ADEFJKL
-46	AN936A10	*	. Washer, Lock	1	ADEFJKL
-47	13XX1896	*	. Nut, No. 10-32	1	ADEFJKL

NOTES: (*) These parts shipped loose.




Figure 3. Crankcase Associated Parts.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS	USABLE ON CODE
				PER ASS'Y.	
4-	No Number		Crankcase, Complete	NS	BC
	630969		Studding Assembly, Crankcase.	1	B
	631096		Studding Assembly, Crankcase.	1	C
- 1	No Number		. . . Crankcase, 1-3-5 Side	NS	BC
- 2	No Number		. . . Crankcase, 2-4-6 Side	NS	BC
- 3	630899		. . . Bearing, Needle	1	BC
- 4	630873		. . . Dowel, 3/16 X 1 1/2 In. Lg.	1	BC
- 5	MS122122		. . . Insert, Thread	9	C
- 5	MS122122		. . . Insert, Thread	4	B
- 5	MS122162		. . . Insert, Thread	5	B
- 6	401804	†	. . . Stud, 1/4 X 1-1/6 In. Lg.	2	BC
- 7	401814	†	. . . Stud, 5/16 X 1-7/8 In. Lg.	4	BC
- 8	401836	†	. . . Stud, 5/16 X 7/8 In. Lg.	1	C
- 9	401842	†	. . . Stud, 3/8 X 2-9/16 In. Lg.	2	C
- 9	402127	†	. . . Stud, 3/8 X 8 1-19/32 In. Lg.	2	B
-10	401885	†	. . . Stud, 5/16 X 1-5/16 In. Lg.	10	B
-10	401885	†	. . . Stud, 5/16 X 1-5/16 In. Lg.	7	C
-11	401927	†	. . . Stud, 3/8 X 3-1/2 In. Lg.	3	BC
-12	401932	†	. . . Stud, 5/16 X 4-1/8 In. Lg.	2	BC
-13	401936	†	. . . Stud, 1/4 X 3-7/8 In. Lg.	5	BC
-14	401944	†	. . . Stud, 3/8 X 2-7/16 In. Lg.	3	C
-14	401965	†	. . . Stud, 3/8 X 1-13/32 In. Lg.	2	B
-15	401962	†	. . . Stud, 1/4 X 2-3/16 In. Lg.	1	BC
-16	401963	†	. . . Stud, 1/4 X 1 In. Lg.	2	BC
-17	401863	†	. . . Stud, 5/16 X 2-5/16 In. Lg.	2	C
-18	401977	†	. . . Stud, 3/8 X 2-3/32 In. Lg.	4	C
-19	402034	†	. . . Stud, 5/16 X 6 In. Lg.	1	B
-19	524183	†	. . . Stud, 5/16 X 6-7/8 In. Lg.	1	C
-20	402151	†	. . . Stud, 5/16 X 1-1/4 In. Lg.	2	BC
-21	402153	†	. . . Stud, 3/8 X 1-5/16 In. Lg.	2	BC
-22	535956	†	. . . Stud, No. 10 X 5/8 In. Lg.	4	BC
-23	631867	†	. . . Stud, 7/16 X 2-1/16 In. Lg.	36	BC
-24	401752		. . . Plug, Pipe, 1/8-27	4	BC
-25	AN932C2		. . . Plug, Pipe	2	BC
-26	402941		. . . Plug, Pipe, 1/16-27	4	BC
-27	2025		. . . Plug, Pipe, 3/8-18	1	BC
-28	2265		. . . Plug, Machine Thread, 5/8-18	1	BC
-29	AN900-10	\$. . . Gasket, Copper	1	BC
-30	629847		. . . Nozzle, Squirt	6	BC
-31	629846		. . . Screen, Nozzle Squirt	6	BC




Figure 4. Crankcase Studding Assembly.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
				1 2 3 4 5 6 7
5-	No Number	Crankcase Assembly	NS	BC
- 1	538944-5.31	. Bolt, Crankcase, Thru	1	BC
- 2	538944-6.19	. Bolt, Crankcase, Thru	1	BC
- 3	20202	. Washer, Plain	4	BC
- 4	531001	. Nut, Flanged.	4	BC
- 5	2958	. Palnut.	4	BC
- 6	539050-10.75	. Bolt, Crankcase, Thru	8	BC
- 7	630693-10.44	. Bolt, Crankcase, Thru	1	B
- 7	630693-12.14	. Bolt, Crankcase, Thru	1	C
- 8	AN123862	\$. O-Ring	2	BC
- 9	24239	. Washer, Plain	2	BC
- 10	AN936A616	. Washer, Lock	2	BC
- 11	2441	. Nut, Plain, Hex	2	BC
- 12	No Number	. Manifold Valve & Bracket Assembly, Fuel ATTACHING PARTS	NS	BC
- 13	2473	. Washer, Plain	2	BC
- 14	AN5-12A	. Bolt	1	C
- 14	AN5-11A	. Bolt	1	B
- 15	AN936A516	. Washer, Lock	1	BC
- 16	AN315-5R	. Nut, Plain, Hex	1	BC
		* - - - -		
- 17	538650	. Eye, Engine Lifting	1	BC
		ATTACHING PARTS		
- 18	538949	. Spacer, Crankcase-to-Lifting Eye	2	BC
- 19	539374	. Washer, Plain	1	BC
- 20	538607	. Bolt, 5/16-24	2	BC
- 21	AN936A516	. Washer, Lock	2	BC
- 22	AN315-5R	. Nut, Plain, Hex	2	BC




Figure 5. Crankcase Attaching Parts.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
5-23	AN5-11A		Bolt	9	BC
-24	539374		Washer, Plain . .	11	BC
-25	AN936A516		Washer, Lock . .	12	BC
-26	AN315-5R		Nut, Plain, Hex .	12	BC
-27	632120		Washer, Plain . .	4	C
-28	538969		Nut, Flanged, 1/2-20	16	BC
-29	AN356-820		Palnut	16	BC
-30	2473		Washer, Plain . .	5	BC
-31	AN936A516	\$	Washer, Lock . .	5	BC
-32	AN123861		O-Ring	1	BC
-33	537750		Bolt, 5/16-18 X 1-1/8 In. Lg.	1	BC
-34	539003		Bolt, 5/16-18 X 1-3/8 In. Lg.	1	BC
-35	630966-4.0		Bolt, 5/16-18 X 4 In. Lg.	3	BC
-36	MS20073-05.25		Bolt, 5/16-24 X 2-11/16 In. Lg.	4	BC
-37	2473		Washer, Plain . .	8	BC
-38	632443-6		Nut, Marsden Lock .	4	BC
-39	AN4-13A		Bolt	6	B
-39	AN4-15A		Bolt	5	C
-40	20522		Washer, Plain . .	12	BC
-41	632443-4		Nut, Marsden Lock .	6	BC




Figure 6. Crankcase Associated Parts.

FIGURE & INDEX NO.	PART NUMBER		DESCRIPTION							UNITS PER ASS'Y.	USABLE ON CODE
			1	2	3	4	5	6	7		
6-	No Number		Crankcase Assembly							NS	BC
	630969		. Studding Assembly, Crankcase (See Figure 4)							RF	B
	631096		. Studding Assembly, Crankcase (See Figure 4)							RF	C
- 1	MS9021-210	\$. O-Ring							1	BC
- 2	630892		. Gasket, Neck Assembly-to-Crankcase							1	BC
- 3	632964-2		. Neck Assembly, Breather & Oil Filler							1	B
- 3	632964-1		. Neck Assembly, Breather & Oil Filler							1	C
			ATTACHING PARTS								
- 4	2473		. Washer, Plain							2	BC
- 5	AN936A516		. Washer, Lock							2	BC
- 6	539605		. Screw, 5/16-18 X 2-3/8 In. Lg.							2	BC
			*								
- 7	633233-3	*	. Gauge & Cap Assembly, Oil							1	B
- 7	No Number	*	. Gauge & Cap Assembly, Oil, Complete							NS	C
- 8	531083	\$. Gasket, Governor-to-Crankcase							1	BC
- 9	36181		. Cover, Governor Pad							1	BC
			ATTACHING PARTS								
-10	22535		. Spacer, Governor.							4	BC
-11	2473		. Washer, Plain							4	BC
-12	AN936A516		. Washer, Lock							4	BC
-13	AN315-5R		. Nut, Plain, Hex							4	BC
			*								
-14	630871		. Bushing, Idler Gear.							1	BC
-15	534740		. Gasket, Flange-to-Bushing							1	BC
-16	630870		. Bushing, Flanged, Idler Gear							1	BC
			ATTACHING PARTS								
-17	AN936A416		. Washer, Lock							2	BC
-18	AN315-4R		. Nut, Plain, Hex							2	BC
			*								
-19	MS9021-017	\$. O-Ring							2	C
-20	630694		. Bracket Assembly, Engine Mount, No. 1 Lower							1	C
-20	630695		. Bracket Assembly, Engine Mount, No. 2 Lower							1	C
-21	631394		. Bracket, Engine Mounting, No. 1 Upper							1	C
-21	631393		. Bracket, Engine Mounting, No. 2 Upper							1	C
			ATTACHING PARTS								
-22	2474		. Washer, Plain							9	C
-23	AN936A616		. Washer, Lock							9	C
-24	2441		. Nut, Plain, Hex							9	C
-25	2473		. Washer, Plain							1	C
-26	AN936A516		. Washer, Lock							1	C
-27	AN315-5R		. Nut, Plain, Hex							1	C
			*								
-28	629202		. Gasket, Camshaft Cover.							1	BC
-29	629201		. Cover, Camshaft Hole							1	BC
			ATTACHING PARTS								
-30	AN960-416L		. Washer, Plain							2	BC
-31	AN936A416		. Washer, Lock							2	BC
-32	AN315-4R		. Nut, Plain, Hex							2	BC
			*								
-33	626963		. Retainer, Oil Seal & Felt							2	BC
			ATTACHING PARTS								
-34	AN960-10L		. Washer, Plain							4	BC
-35	AN936A10		. Washer, Lock							4	BC
-36	13XX1896		. Nut, Plain, No. 10-32.							4	BC
			*								
-37	634937	**	. Plate, Identification							1	B
-37	632020	**	. Plate, Identification							1	C
			ATTACHING PARTS								
-38	24764		. Screw, Drive.							6	BC
			*								

NOTE: (*) When ordering oil gauge rod, supply engine model, airplane model and year airplane was built.

(**) Return original plate with order. If not legible, also supply Model and Serial Number.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
7-	631716A2		Crankshaft Assembly, Service	1	ADEFJKL
- 1	No Number		. Crankshaft & Tubes	NS	ADEFJKL
- 2	350998	†	. Bushing, Damper	8	ADEFJKL
- 3	633189		. Plug, Oil Control	1	ADEFJKL
	631968		. Counterweight Assembly, 4th & 5th Order	2	ADEFJKL
- 4	No Number		. . Counterweight	NS	ADEFJKL
- 5	350997	†	. . Bushing, Counterweight	4	ADEFJKL
	352117		. . Counterweight Assembly, 6th Order	2	ADEFJKL
- 6	No Number		. . Counterweight	NS	ADEFJKL
- 7	350997	†	. . Bushing, Counterweight	4	ADEFJKL
- 8	630261-27		. Pin, Damper, 4th Order	2	ADEFJKL
- 9	630261-3		. Pin, Damper, 5th Order	2	ADEFJKL
- 10	630261-4		. Pin, Damper, 6th Order	4	ADEFJKL
			ATTACHING PARTS		
-11	635623		. Plate, Pin, Retaining	16	ADEFJKL
-12	629104		. Ring, Retaining	16	ADEFJKL
			*		
-13	630464	\$†	. Bearing, Crankshaft, Main	10	ADEFJKL
-14	628136	\$†	. Washer, Thrust	4	ADEFJKL
-15	628750	†	. Bearing, Connecting Rod	6	ADEFJKL
-16	626739		Collar Assembly, Governor Oil Transfer	1	ADEFJKL
-17	626889		. Roll, Pin	2	ADEFJKL
-18	401893	†	. Stud, 1/4 X 1-1/4 In. Lg.	2	ADEFJKL
-19	632443-4		. Nut, Marsden Lock, 1/4-28	2	ADEFJKL
-20	536563		Dowel, Crankshaft-to-Gear	1	ADEFJKL
-21	536421		Gear, Crankshaft	1	ADEFJKL
			ATTACHING PARTS		
-22	X1454		Washer, Dowel Retaining	1	ADEFJKL
-23	536379		Screw, 5/16-24 X 7/8 In. Lg.	6	ADEFJKL
			*		
-24	626974		Seal Assembly, Oil	1	ADEFJKL
-25	536615		Felt, Crankshaft, Oil Seal	1	ADEFJKL
-26	AN123965		O-Ring	1	ADEFJKL
-27	626890		Sleeve, Governor Oil Transfer	1	ADEFJKL
	534757		Gear Assembly, Idler	1	ADEFJKL
-28	No Number		. Gear	NS	ADEFJKL
-29	534741		. Bushing	1	ADEFJKL




Figure 7. Crankshaft Group.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
8-	633620A2		Crankshaft Assembly, Service	1	BC
- 1	No Number		. Crankshaft & Tubes	NS	BC
- 2	350998	†	. Bushing, Crankshaft Damper	8	BC
- 3	633189		. Plug, Oil Control	1	BC
	631968		. Counterweight Assembly, 4th & 5th Order	2	BC
- 4	No Number		. . Counterweight	NS	BC
- 5	350997	†	. Bushing	4	BC
	352117		. Counterweight Assembly, 6th Order	2	BC
- 6	No Number		. . Counterweight	NS	BC
- 7	350997	†	. . Bushing	4	BC
- 8	630261-27		. Pin, Damper, 4th Order	2	BC
- 9	630261-3		. Pin, Damper, 5th Order	2	BC
-10	630261-4		. Pin, Damper, 6th Order	4	BC
			ATTACHING PARTS		
-11	629105		. Plate, Pin Retaining	16	BC
-12	629104		. Ring, Retaining	16	BC
			*		
-13	635439	\$†	. Bearing, Crankshaft, Main	10	BC
-14	628136	\$†	. Washer, Thrust	4	BC
-15	628750	†	. Bearing, Connecting Rod	6	BC
-16	629680		Collar Assembly	1	BC
	No Number		. Collar, 1-3-5 Side	NS	BC
	No Number		. Collar, 2-4-6 Side	NS	BC
-17	626889		. Dowel	2	BC
-18	401893	†	. Stud, 1/4 X 1-1/4 In. Lg.	2	BC
-19	632443-4		. Nut, Marsden Lock	2	BC
-20	536563		Dowel, Crankshaft-to-Gear	1	BC
-21	632892		Gear, Crankshaft, Small	1	BC
-22	632893		Gear, Crankshaft, Large	1	BC
			ATTACHING PARTS		
-23	X1454		Washer, Dowel Retainer	1	BC
-24	536379		Screw	6	BC
			*		
-25	632018		Gear, Face Generator Drive	1	BC
			ATTACHING PARTS		
-26	634080		Screw, 5/16-24 X 13/32 In. Lg.	4	BC
-27	634021		Lock Plates	2	BC
			*		
-28	626974		Seal Assembly, Crankshaft Oil	1	BC
-29	536615		Felt, Crankshaft Oil Seal	1	BC
-30	AN123962	\$	O-Ring	1	BC
-31	629360		Gear, Idler	1	BC




Figure 8. Crankshaft Group.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
9-	No Number		Camshaft Assembly	NS	ADEFJKL
- 1	535661	†	. Camshaft	1	ADEFJKL
- 2	631845		. Gear, Camshaft	1	ADEFJKL
- 3	535662		. Gear, Cam Cluster	1	ADEFJKL
			ATTACHING PARTS		
- 4	535666		. Screw, 5/16-24 X 25/32 In. Lg.	4	ADEFJKL
			*		
- 5	AN280H405		. Key, Woodruff	1	ADEFJKL
- 6	534655		. Gear, Bevel Governor Drive	1	ADEFJKL
- 7	538076		. Gear, Bevel Governor Driven	1	ADEFJKL
	628488		Lifter Assembly, Hydraulic Valve	12	ADEFJKL
- 8	No Number		. Body, Valve Lifter	NS	ADEFJKL
- 9	No Number		. Spring, Plunger	NS	ADEFJKL
-10	No Number		. Housing, Check Valve	NS	ADEFJKL
-11	No Number		. Plate, Check Valve	NS	ADEFJKL
-12	No Number		. Plunger, Hydraulic Lifter	NS	ADEFJKL
-13	No Number		. Socket, Hydraulic Lifter	NS	ADEFJKL
-14	628491		. Ring, Retaining	1	ADEFJKL




Figure 9. Camshaft Group.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
10-	No Number		Camshaft Assembly	NS	BC
- 1	629726	†	. Camshaft	1	BC
- 2	524818		. Plug, Pipe, 1/4-18 NPTF	1	BC
- 3	631845		. Gear, Camshaft	1	BC
			ATTACHING PARTS		
- 4	631088-.44		. Screw, 5/16-24 X 7/16 In. Lg.	4	BC
			*		
- 5	632092-4		. Plug, Expansion	1	BC
- 6	AN280H405		. Key, Woodruff	1	BC
- 7	629748		. Gear, Bevel, Governor Drive	1	BC
- 8	629747		. Gear, Bevel, Governor Driven	1	BC
	628488		Lifter Assembly, Hydraulic Valve	12	BC
- 9	No Number		. Body, Valve Lifter	NS	BC
-10	No Number		. Spring, Plunger	NS	BC
-11	No Number		. Housing, Check Valve	NS	BC
-12	No Number		. Plate, Check Valve	NS	BC
-13	No Number		. Plunger, Hydraulic Lifter	NS	BC
-14	No Number		. Socket, Hydraulic Lifter	NS	BC
-15	628491		. Ring, Retaining	1	BC

NOTE: Camshaft comes with plugs, items 2 & 5 not installed. They must be installed before the camshaft is assembled in the engine.




Figure 10. Camshaft Group.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
11-	633403		* Connecting Rod Assembly, Complete	6	All
- 1	No Number		. Rod, Connecting	NS	All
- 2	No Number		. Cap, Connecting Rod	NS	All
- 3	530658		. Bushing, Piston Pin.	1	All
- 4	629340		. Bolt, Connecting Rod	2	All
- 5	628109		. Nut, 7/16-28, Slotted, Special	2	All
- 6	AN381-25-10		. Pin, Cotter	2	All

NOTE: (*) Select rod assemblies for replacement to match weight of original assemblies in same engine.
Maximum permissible weight variation in engine set = 1/4 ounce.




Figure 11. Connecting Rod Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
12- 1	631475		*† Piston, 8.5:1 Compression Ratio.	6	All
- 2	630752		\$† Ring, Piston Compression - Top Groove -	6	All
- 3	630753		\$† Ring, Piston Compression - 2nd Groove -	6	All
- 4	631729		\$† Ring Assembly, Oil - 3rd Groove -	6	All
- 5	629401		\$† Ring, Piston, Scraper - 4th Groove -	6	All
- 6	630046		† Pin and Plug Assembly, Piston	6	All

NOTE: (*) Select pistons for replacement to match weight of original assemblies in same engine. Maximum permissible weight variation in engine set = 1/4 ounce.




Figure 12. Piston and Pin Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
13- 1	631674	\$	Packing, Cylinder Base	6	All
	No Number		Cylinder Assembly, Complete	NS	All
			ATTACHING PARTS		
- 2	531001		Nut, Flanged, 7/16-20	36	All
- 3	2958		Palnut, 7/16-20	36	All
- 4	538969		Nut, Flanged, 1/2-20	12	All
- 5	AN356-820		Palnut	12	All
		*			
	635448A1	.	Cylinder & Valve Assembly	6	All
	635448	.	Cylinder Assembly	1	All
- 6	No Number	.	Head & Barrel Assembly	NS	All
- 7	520112-1	.	Insert, Spark Plug Thread	2	All
- 8	631496	†	Guide, Valve	2	All
- 9	401893	†	Stud, 1/4 X 1-1/4 In. Lg.	4	All
-10	MS122121	.	Insert	4	All
-11	630591	†	Insert, Intake Valve Seat	1	All
-12	35967	†	Insert, Exhaust Valve Seat	1	All
-13	539988	.	Valve, Intake	1	All
-14	635720	.	Valve, Exhaust	1	All
-15	631521	.	Spring, Valve Inner	2	All
-16	631520	.	Spring, Valve Outer	2	All
-17	625393	.	Retainer, Valve Spring Inner	2	All
-18	35971	.	Retainer, Valve Spring Intake	1	All
-19	629117	.	Roto Cap Assembly, Exhaust	1	All
-20	24802	.	Key, Valve Spring Retainer	4	All
-21	539740	.	Shaft, Valve Rocker	12	All
			ATTACHING PARTS		
-22	2473	.	Washer, Plain	12	All
-23	537019	.	Screw, 5/16-24 X 17/32 In. Lg.	12	All
		*			




Figure 13. Cylinder Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
13-	539742		. . Rocker Assembly, Intake Valve	6	All
-24	No Number		. . Rocker, Intake Valve	NS	All
-25	536033		. . Bushing, Valve Rocker	2	All
-26	21007		. . Screw, Drive	1	All
	534639		. . Rocker Assembly, Exhaust Valve	6	All
-27	No Number		. . Rocker, Exhaust Valve	NS	All
-28	536033		. . Bushing, Valve Rocker	2	All
-29	21007		. . Screw, Drive	1	All
-30	534487		. . Washer, Thrust	24	All
-31	534857		. . Gasket, Valve Rocker Cover	6	All
-32	625615		. . Cover, Valve Rocker	6	All
			ATTACHING PARTS		
-33	20522		. . Washer, Plain	48	All
-34	AN936A416		. . Washer, Lock	48	All
-35	535118		. . Screw, Fillister Head	48	All
			*		
-36	537379	\$	Gasket, Exhaust Flange	6	ACDEJKL
-36	631544	\$	Gasket, Exhaust Flange	6	B
			ATTACHING PARTS		
-37	21247		Nut, 1/4-28 Brass, Exhaust	24	ABE
-37	536038		Nut, 1/4-28 CRES, Exhaust	24	CDFJKL
			*		
-38	537296		Housing, Push Rod	12	All
-39	534609		Washer, Push Rod Housing	48	All
-40	534610	\$	Packing, Push Rod Housing	24	All
-41	626147		Spring, Push Rod Housing	12	All
-42	538304		Push Rod Assembly	12	All




Figure 14. Oil Pump Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
14- 1	538185	\$	Gasket, Oil Pump Housing-to-Crankcase	1	ADEFJKL
	631714A1		Housing Assembly, Oil Pump, Complete	1	ADFJKL
	631714A2		Housing Assembly, Oil Pump, Complete	1	E
			ATTACHING PARTS		
- 2	20522		. . Washer, Plain	7	ADEFJKL
- 3	AN936A416		. . Washer, Lock	7	ADEFJKL
- 4	2437		. . Nut, Plain, Hex	7	ADEFJKL
			*		

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASSY.	USABLE ON CODE
14-	631714		. Housing & Shaft Assembly, Oil Pump	1	ADEFJKL
- 5	No Number		. . Housing, Oil Pump	NS	ADEFJKL
- 6	401800	†	. . Stud, 1/4 X 1-1/16 In. Lg.	1	ADEFJKL
- 7	401963	†	. . Stud, 1/4 X 1 In. Lg.	1	ADEFJKL
- 8	2024		. . Plug, Pipe.	1	ADEFJKL
	629218		. . Gear & Bushing Assembly, Oil Pump, Driven	1	ADEFJKL
- 9	No Number		. . Gear, Oil Pump, Driven	NS	ADEFJKL
-10	539523		. . Bushing, Oil Pump Gear	2	ADEFJKL
-11	631618		. . Plunger, Oil Pressure Relief Valve	1	ADEFJKL
-12	634150		. . Spring, Oil Pressure Relief Valve	1	ADEFJKL
-13	631653		. . Washer, Spring Guide.	1	ADEFJKL
-14	632761		. . Screw, Adjusting	1	ADEFJKL
-15	AN900-18	\$. . Gasket, Copper Asbestos Annular	1	ADEFJKL
-16	633178		. . Housing, Oil Pressure Relief Valve	1	ADEFJKL
-17	X1473		. . Washer, Copper	1	ADEFJKL
-18	632762		. . Nut, Adjusting	1	ADEFJKL
-19	629448		. . Shaftgear Assembly, Tach Drive, Oil Pump	1	ADFJKL
-19	633442		. . Shaftgear Assembly, Tach Drive	1	E
-20	No Number		. . Shaftgear, Tach Drive & Oil Pump	NS	ADEFJKL
-21	535634		. . Pin, Dowel	1	ADEFJKL
-22	535008		. . Gear, Bevel Tach Drive.	1	ADFJKL
-22	535900		. . Gear, Bevel Tach Drive.	1	E
-23	625886		. . Cover, Right Angle Tach Drive Oil Pump	1	ADFJKL
			ATTACHING PARTS		
-24	20522		. . Washer, Plain	6	ADFJKL
-25	AN936A416		. . Washer, Lock	6	ADFJKL
-26	2437		. . Nut, Plain, Hex	6	ADFJKL
			*		
	628859		. . Cover, Right Angle Tach Drive Oil Pump	1	E
			ATTACHING PARTS		
-27	20522		. . Washer, Plain	2	E
-28	AN936A416		. . Washer, Lock	2	E
-29	2437		. . Nut, Plain, Hex	2	E
			*		
-30	No Number		. . Cover	NS	E
-31	531378	\$. . Seal, Oil Tach Drive Cover	1	E
-32	401893	†	. . Stud, 1/4 X 1-1/4 In. Lg.	4	E
-33	401816	†	. . Stud, 1/4 X 1-11/16 In. Lg.	1	E
-34	625885		. . Shaftgear, Tach Drive.	1	AF
-35	631650		. . Shaft Assembly, Tach Drive	1	DJKL
-36	535908		. . Gear Assembly, Bevel Tach Drive	1	E
-37	632085	\$. . Gasket, Cover Tach Housing.	1	ADFJKL
-38	21208A1		. . Housing Assembly, Tach Drive.	1	ADFJKL
-39	No Number		. . Housing, Tach Drive	NS	ADFJKL
-40	21163	\$. . Seal, Oil, Tach Housing.	1	ADFJKL
-41	AN4045-1	\$. . Gasket.	1	E
-42	AN100043		. . Cover, Tach Drive Pad	1	E
			ATTACHING PARTS		
-43	531547		. . Washer, Plain	4	E
-44	AN936A416		. . Washer, Lock	4	E
-45	AN315-4R		. . Nut, Plain, Hex	4	E
			*		
-46	535885	\$. . Gasket, Cover-to-Cover.	1	E
-47	535887		. . Cover, Tach Gear Box	1	E
			ATTACHING PARTS		
-48	2471		. . Washer, Plain	4	E
-49	22910		. . Washer, Lock	4	E
-50	20655		. . Screw	4	E
			*		
-51	AN900-28	\$. . Gasket, Annular	1	ADEFJKL
-52	538727		. . Filter Assembly, Oil	1	ADEFJKL
-53	631638		. . Valve, Filter By-Pass	1	ADEFJKL
-54	631478		. . Spring, Filter By-Pass	1	ADEFJKL
-55	AN900-14	\$. . Gasket, Copper	1	ADEFJKL
-56	631995		. . Pin & Plug Assembly, Oil Pump By-Pass	1	ADEFJKL




Figure 15. Oil Pump Assembly.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
		1 2 3 4 5 6 7		
15- 1	631034	\$ Gasket, Pump, Housing-to-Crankcase	1	BC
	632977A1	Housing Assembly, Oil Pump, Complete	1	B
	632970	Housing Assembly, Oil Pump, Complete	1	C
ATTACHING PARTS				
- 2	20522	Washer, Plain	1	BC
- 3	AN936A416	Washer, Lock	1	BC
- 4	2437	Nut, Plain, Hex	1	BC
		*		
	632977 Housing & Shaft Assembly, Oil Pump	1	BC
- 5	No Number Housing, Oil Pump	NS	BC
- 6	401801	† Stud, 1/4 X 1-1/16 In. Lg.	2	BC
	631016 Gear & Bushing Assembly, Oil Pump, Driven	1	BC
- 7	No Number Gear, Oil Pump, Driven	NS	BC
- 8	23024 Bushing, Oil Pump Gear	2	BC
- 9	631618 Plunger, Oil Pressure Relief Valve	1	BC
- 10	634150 Spring, Oil Pressure Relief Valve	1	BC
- 11	631653 Washer, Spring Guide	1	BC
- 12	632761 Screw, Adjusting	1	BC
- 13	AN900-18	\$ Gasket, Annular	2	BC
- 14	633178 Housing, Oil Pressure Relief Valve	1	BC
- 15	X1473 Washer, Copper	1	BC
- 16	632762 Nut, Stop, 5/16-24	1	BC

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
	631014		. Shaftgear Assembly, Tach Drive	1	B
	631075		. Shaftgear Assembly, Tach Drive	1	C
-17	No Number		. . Shaftgear, Oil Pump & Tach Drive	NS	BC
-18	535634		. . Pin, Dowel	1	BC
-19	535008		. Gear, Bevel, Tach Drive	1	B
-19	535900		. Gear, Bevel, Tach Drive	1	C
-20	631390		. Cover, Right Angle Tach Drive, Oil Pump.	1	B
	631056		. Cover Assembly, Right Angle Tach Drive, Oil Pump	1	C
			ATTACHING PARTS		
-21	20522		. Washer, Plain	6	BC
-22	AN936A416		. Washer, Lock	6	BC
-23	AN315-4R		. Nut, Plain, Hex	6	BC
			*		
-24	No Number		. . Cover, Right Angle Drive, Oil Pump	NS	C
-25	531378	\$. . Seal, Oil	1	C
-26	22319	†	. . Stud, 1/4 X 1-1/4 In. Lg.	4	C
-27	402711	†	. . Stud, 1/4 X 7/8 In. Lg.	1	C
-28	631650		. Shaft Assembly, Tach Drive	1	B
-29	535908		. Shaftgear Assembly, Bevel Tach Drive	1	C
-30	535885	\$. Gasket, Cover-to-Cover.	1	C
-31	535887		. Cover, Tach Gear Box	1	C
			ATTACHING PARTS		
-32	2471		. Washer, Plain	4	C
-33	22910		. Washer, Lock	4	C
-34	20655		. Screw, Round Head, No. 10-24 X 1 In. Lg.	4	C
			*		
-35	AN4045-1	\$. Gasket, Tach Drive Pad.	1	C
-36	AN100043		. Cover, Tach Drive Pad	1	C
			ATTACHING PARTS		
-37	531547		. Washer, Plain	4	C
-38	AN936A416		. Washer, Lock	4	C
-39	AN315-4R		. Nut, Plain, Hex	4	C
			*		
	21208A1		. Housing, Tach Drive Assembly.	1	B
-40	No Number		. . Housing, Tach Drive	NS	B
-41	21163	\$. . Seal, Oil.	1	B
-42	AN900-22	\$. Gasket, Annular	1	B
-43	632266	\$. Gasket, Oil Filter-to-Pump Housing	1	BC
-44	632399		Filter Assembly, Oil	1	BC
-45	632881		Adapter Assembly, Oil Filter	1	BC
			ATTACHING PARTS		
-46	AN960-616L		Washer, Plain	3	BC
-47	AN936A616		Washer, Lock	3	BC
-48	2441		Nut, Plain, Hex	3	BC
			*		
	631641		*Filter Assembly, Oil	1	
-49	631645	*	Adapter, Oil Filter	1	
-50	631646	*	Housing, Oil Filter	1	
-51	631784	*	Gasket, Copper	1	
-52	631783	*	Stud Assembly, Center	1	
-53	632379	*	Element, Oil Filter (Includes Gasket)	1	

* Parts so indicated were used on early models. If adapter (49) is serviceable, new element (53) may be ordered.




Figure 16. Starter and Starter Adapter Assembly.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION							UNITS PER ASS'Y.	USABLE ON CODE
		1	2	3	4	5	6	7		
16- 1	537745 635050A4	\$ Gasket, Adapter-to-Crankcase							1	ADEFJKL
- 2	2473	Adapter Assembly, Starter, Complete							1	ADEFJKL
- 3	AN936A516	ATTACHING PARTS								
- 4	537742	Washer, Plain							3	ADEFJKL
- 5	AN315-5R	Washer, Lock							3	ADEFJKL
	635050	Screw, 5/16-18 X 2-13/16 In. Lg.							1	ADEFJKL
- 6	402127	Nut, Plain	*						2	ADEFJKL
- 7	No Number	Adapter Assembly, Starter							NS	ADEFJKL
- 8	629713	Stud, 3/8-16 X 1-17/32 In. Lg.							1	ADEFJKL
- 9	539805	Adapter & Sleeve Assembly							1	ADEFJKL
-10	536552	Bearing, Needle							1	ADEFJKL
-11	AN280H405	Gear, Starter, Worm							1	ADEFJKL
-12	631252	Spring, Starter							1	ADEFJKL
-13	X13041	Key, Woodruff							1	ADEFJKL
-14	502287	Shaft, Worm Drive							1	ADEFJKL
-15	539568	Bearing, Ball							1	ADEFJKL
-16	539785	Ring, Retaining.							1	ADEFJKL
-17	539800	Shaftgear, Starter							1	ADEFJKL
		Gear, Starter Worm Wheel							1	ADEFJKL
		Spring, Clutch	*						1	ADEFJKL
		ATTACHING PARTS								
-18	501867	Washer, Tab.							1	ADEFJKL
-19	633845	Screw, 1/4-20 X 11/32 In. Lg.	*						1	ADEFJKL
-20	537749	ATTACHING PARTS							1	ADEFJKL
-21	534685	Gasket, Cover-to-Adapter.							1	ADEFJKL
-22	534715	Bearing, Ball							1	ADEFJKL
-23	AN123862	Ring, Retaining							1	ADEFJKL
-24	534938	O-Ring							1	ADEFJKL
-25	534980	Seal, Oil.							1	ADEFJKL
-26	537738	Sleeve, Bearing Retainer							1	ADEFJKL
		Cover, Starter Adapter	*						1	ADEFJKL
		ATTACHING PARTS								
-27	2473	Washer, Plain							3	ADEFJKL
-28	AN936A516	Washer, Lock							3	ADEFJKL
-29	537750	Screw, 5/16-18 X 1-1/8 In. Lg.							1	ADEFJKL
-30	AN280H405	Key, Woodruff	*						1	ADEFJKL
-31	534775	Sheave, Generator Drive							1	ADEFJL
-31	635169	Sheave, Alternator Drive							1	K
		ATTACHING PARTS								
-32	AN960C916	Washer, Plain							1	ADEFJKL
-33	13XX299	Washer, Lock							1	ADEFJKL
-34	AN316-9	Nut, Check	*						1	ADEFJKL
-35	538999	Bolt, 5/16-18 X 3-5/8 In. Lg.							2	ADEFJKL
-36	628760	Indicator, Engine Timing							1	ADEFJKL
		ATTACHING PARTS								
-37	2473	Washer, Plain							2	ADEFJKL
-38	AN936A516	Washer, Lock							2	ADEFJKL
-39	537750	Screw, 5/16-18 X 1-1/8 In. Lg.							1	ADEFJKL
-40	538999	Bolt, 5/16-18 X 3-5/8 In. Lg.	*						1	ADEFJKL
-41	MS9021-038	O-Ring							1	ADEFJKL
-42	629176	Starter, 12 Volt							1	ADF
-42	627841	Starter, 24 Volt							1	E
-42	634592	Starter, 12 Volt	*						1	JKL
		ATTACHING PARTS								
-43	539058	Washer, Plain							2	ADEFJKL
-44	AN936A616	Washer, Lock							2	ADEFJKL
-45	AN315-6R	Nut, Plain, Hex	*						2	ADEFJKL




Figure 17. Starter and Starter Adapter Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
17- 1	630916	\$	Gasket, Adapter-to-Crankcase	1	BC
	635049A1		Adapter Assembly, Starter, Complete	1	BC
			ATTACHING PARTS		
- 2	2473		Washer, Plain	2	BC
- 3	AN936A516		Washer, Lock	2	BC
- 4	AN315-5R		Nut, Plain, Hex	2	BC
			*		
	635049	.	Adapter Assembly, Starter	1	BC
- 5	No Number	.	Adapter & Sleeve Assembly	NS	BC
- 6	402151	†	Stud, 5/16 X 1-1/4 In. Lg.	3	BC
- 7	402127	†	Stud, 3/8 X 1-17/32 In. Lg.	2	BC
- 8	402131	†	Stud, 5/16 X 1-1/2 In. Lg.	2	BC
- 9	629713	.	Bearing, Needle	1	BC
	630681	.	Gear Assembly, Starter Worm	1	BC
-10	No Number	.	Gear, Starter Worm	NS	BC
-11	630680	.	Bearing, Needle	1	BC
-12	630895	.	Shaftgear Assembly, Starter	1	BC
-13	539800	.	Spring, Clutch	1	BC
			ATTACHING PARTS		
-14	501867	.	Washer, Tab	1	BC
-15	633845	.	Screw, 1/4-20 X 11/32 In. Lg.	1	BC
			*		
-16	534685	.	Bearing, Ball	1	BC
-17	521649	.	Ring, Retaining	1	BC
-18	631252	.	Shaft, Worm Drive	1	BC
-19	536552	.	Spring, Starter Worm Gear	1	BC
-20	AN280H405	.	Key, Woodruff	1	BC
-21	539805	.	Gear, Starter Worm	1	BC
-22	X13041	.	Bearing, Ball	1	BC
-23	502287	.	Ring, Retaining	1	BC
-24	AN123902	\$	O-Ring	1	BC
-25	629668	.	Cover, Starter Adapter	1	BC
			ATTACHING PARTS		
-26	2473	.	Washer, Plain	5	BC
-27	AN936A516	.	Washer, Lock	5	BC
-28	AN315-5R	.	Nut, Plain, Hex	5	BC
			*		
-29	MS9021-038	\$	O-Ring	1	BC
-30	629176		Motor, 12 Volt, Starter	1	B
-30	627841		Motor, 24 Volt, Starter	1	C
			ATTACHING PARTS		
-31	401507		Washer, Plain	2	BC
-32	2441		Nut, Plain, Hex	2	BC
-33	2561		Palnut	2	BC
			*		

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
18- 1	539547-31.19		Belt, Generator Driven	1	A
- 2	536213		Spacer, Generator Driven	1	A
- 3	627377		Sheave, Generator Driven	1	A
- 4	627272		Generator, 12 Volt, 50 Amp	1	A
			ATTACHING PARTS		
- 5	AN5-20A		Bolt	1	A
- 6	AN5-15A		Bolt	2	A
- 7	2473		Washer, Plain	2	A
- 8	AN315-5R		Nut, Plain, Hex	2	A
- 9	2560		Palnut	2	A
-10	AN75A6		Bolt	1	A
-11	537539		Washer, Plain *	1	A
-12	627673		Idler, Kiss	1	A
			ATTACHING PARTS		
-13	22661		Nut, Self Locking, 1/4-28	1	A
			*		
-14	627276		Bracket, Generator Adjusting Arm	1	A
-15	AN75A15		Screw	1	A
-16	627279		Washer, Special	6	A
-17	627281		Bushing, Spacer	3	A
-18	627282		Bushing, Rubber	6	A
-19	627068		Bracket, Generator Support	1	A
-20	632112		Bracket Assembly, Kiss Idler	1	A
-21	627690		Bracket, Generator Mounting	RF	A




Figure 18. Generator Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
19- 1	629436	\$	Gasket	1	BC
	No Number		Alternator Assembly, Complete	NS	B
	No Number		Alternator Assembly, Complete	NS	C
			ATTACHING PARTS		
- 2	2473		Washer, Plain	4	BC
- 3	628730		Bolt, 5/16-18 X 1 In. Lg. *	4	BC
- 4	631547		. Alternator, 12 Volt, 70 Amp.	1	B
- 4	632590		. Alternator, 24 Volt, 50 Amp.	1	C
- 5	632437		. . Key, Woodruff	1	BC
- 6	632436		. . Nut, Slotted Hex, 5/8-32 UN-2A Thread.	1	BC
	631121		. Hub Assembly, Alternator Gear Driven	1	BC
- 7	No Number		. . Hub, Alternator Gear Driven	NS	BC
- 8	630655		. . Spring, Clutch	1	BC
	630590		. . Gear Assembly, Alternator Driven	1	BC
- 9	No Number		. . . Gear & Washer, Alternator Driven	NS	BC
-10	629638		. . . Bushing, Alternator Driven	1	BC
-11	630691		. . . Washer, Thrust	1	BC
-12	MS24665-302		. Pin, Cotter	1	BC
-13	632125		Support Assembly, Baffle	1	BC




Figure 19. Alternator Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
20- 1	539547-32.00		Belt, Generator Driven	1	E
- 2	536213		Spacer, Generator Driven	1	E
- 3	627377		Sheave, Generator Driven	1	E
- 4	629417		Generator, 24 Volt, 50 Amp	1	E
			ATTACHING PARTS		
- 5	AN5-17A		Bolt, 5/16-24 X 1-31/32 In. Lg.	1	E
- 6	AN5-15A		Bolt, 5/16-24 X 1-23/32 In. Lg.	1	E
- 7	2555		Washer, Plain	1	E
- 8	2473		Washer, Plain	1	E
- 9	AN315-5R		Nut, Plain, Hex	2	E
-10	2560		Palnut	2	E
-11	AN75A6		Bolt, 5/16-18 X 51/64 In. Lg.	1	E
-12	537539		Washer, Plain	1	E
		*			
-13	627673-2		Pin, Idler Kiss	1	E
-14	22661		Nut, Elastic Stop	1	E
-15	629825		Bracket Assembly, Generator Belt Adj., Upper	1	E
-16	AN75A10		Bolt, 5/16-18 X 1-3/64 In. Lg.	1	E
-17	627279		Washer, Special	4	E
-18	627281		Bushing	2	E
-19	627282		Bushing	4	E
-20	630039		Bracket Assembly, Generator Belt Adj., Upper	1	E
-21	628004		Bracket, Generator, Mounting	1	E




Figure 20. Generator Assembly.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
21- 1	634693		Alternator	1	K
- 2	630691		Lockwasher	1	K
- 3	632436		Nut	1	K
- 4	632437		Key	1	K
			ATTACHING PARTS		
- 5	2561		Painut	1	K
- 6	2441		Nut	1	K
- 7	22786		Washer	2	K
- 8	24239		Washer	2	K
- 9	634657		Bolt	1	K
			*		
-10	634571		Sheave	1	K
-11	634617		Bracket	1	K
			ATTACHING PARTS		
-12	530346		Screw	1	K
-13	13XX202B		Lockwasher	1	K
-14	537539		Washer	2	K
-15	537750		Screw	1	K
-16	501868		Washer, Tab	1	K
			*		
-17	539547-32.00		Belt, 32 In. Lg.	1	K




Figure 21. Alternator Assembly

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
22- 1	625303	\$	Gasket, Crankcase-to-Plate	1	ADEFJKL
- 2	537312		Plate, Oil Cooler Adapter	1	ADEFJKL
			ATTACHING PARTS		
- 3	20522		Washer, Plain	5	ADEFJKL
- 4	AN936A416		Washer, Lock	5	ADEFJKL
- 5	2437		Nut, Plain, Hex	5	ADEF
			*		
- 6	2026	\$	Plug, Pipe, 1/4-18	1	ADEFJKL
- 7	537282		Gasket, Oil Cooler	1	ADEFJKL
- 8	626189A		Cooler Assembly, Oil	1	ADEFJKL
			ATTACHING PARTS		
- 9	2473		Washer, Plain	12	ADEF
-10	AN936A416		Washer, Lock	12	ADEFJKL
-11	535631		Screw, 1/4-20 X 1 In. Lg.	12	ADEFJKL
			*		
-12	632823		Bracket, Oil Cooler Support	1	ADEFJKL
-13	632824		Bracket, Oil Cooler Support	1	ADEFJKL
-14	629806		Bolt, Special Off Set Head	1	ADEFJKL
-15	536779		Washer, Drain	1	ADEFJKL
-16	2437		Nut, Plain, Hex	1	ADEF
-17	2886		Palnut, 1/4	1	ADEFJKL




Figure 22. Oil Cooler.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
		1 2 3 4 5 6 7		
23- 1	630849	\$ Gasket, Oil Cooler-to-Crankcase, Top	2	B
- 2	631059	\$ Gasket, Crankcase-to-Oil Cooler.	1	B
- 3	MS9021-017	\$ O-Ring, Oil Cooler-to-Engine Mounting Bracket	2	C
	633287	Oil Cooler & Baffle Assembly	1	B
	633288 —	Oil Cooler & Baffle Assembly	1	C
		ATTACHING PARTS		
- 4	2474	Washer, Plain	4	BC
- 5	AN936A616	Washer, Lock	4	BC
- 6	2441	Nut, Plain, Hex	4	BC
- 7	2473	Washer, Plain	1	B
- 8	AN936A516	Washer, Lock	1	B
- 9	AN315-5R	Nut, Plain, Hex	1	B
		*		
-10	634063 — Cooler, Oil	1	BC
-11	632224 Baffle, Oil Cooler	1	B
-11	632276 Baffle, Oil Cooler	1	C
-12	634628	Elbow, 90 Degree, 1/8 NPTF to 1/8 Tube	1	B
-12	631658	Elbow, 90 Degree, 1/8 NPTF to 1/4 Tube	1	C
-13	626972-1	Closure, 1/8 Tube	1	BC
-14	2025	Plug, Oil Cooler Oil Outlet	1	C
-15	634065	Valve Assembly, Vernatherm Control	1	BC
-16	632126	Support Assembly, Baffle	1	BC




Figure 23. Oil Cooler.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
		1 2 3 4 5 6 7		
24- 1	534940	\$ Gasket, Suction Tube Assembly	1	ADEFK
- 2	625207	Tube Assembly, Suction, Oil Pump.	1	ADEFK
		ATTACHING PARTS		
- 3	20522	Washer, Plain	2	ADEFK
- 4	AN74A4	Bolt.	2	ADEFK
- 5	AN74A3	Bolt. *	2	ADEFK
- 6	632946	Tube Assembly, Suction, Oil Pump.	1	C
		ATTACHING PARTS		
- 7	631367	Washer, Special	1	C
- 8	AN4-17A	Bolt. *	1	C
- 9	AN900-10	\$ Gasket, Annular	1	C
-10	AN900-12	\$ Gasket, Annular	1	C
-11	2265	Plug, Hex Head	1	C
-12	534743	\$ Gasket, Oil Sump.	1	ACDEFK
-13	633412	Sump Assembly, Oil	1	AF
-13	537650	Sump Assembly, Oil	1	CDK
-13	628698A1	Sump Assembly, Oil	1	E
		ATTACHING PARTS		
-14	2473	Washer, Plain	28	ACDEFK
-15	13XX202B	Washer, Lock	28	ACDEFK
-16	530346	Screw, 5/16-18 X 7/8 In. Lg. *	28	ACDEFK
-17	AN900-10	\$. Gasket, Annular	1	AEF
-17	AN900-10	\$. Gasket, Annular	2	CDK
-18	532432	. Plug, Oil Drain.	1	AEF
-18	532432	. Plug, Oil Drain.	2	CDK




Figure 24. Oil Sump.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
		1 2 3 4 5 6 7		
25- 1	631008	Tube Assembly, Suction, Oil Pump.	1	B
		ATTACHING PARTS		
- 2	630966-.56	Bolt, 5/16-18 X 9/16 In. Lg. *	2	B
- 3	AN900-12	\$ Gasket, Annular	1	B
- 4	2265	Plug.	1	B
- 5	534743	\$ Gasket, Oil Sump.	1	B
	628372A4	Studding Assembly, Sump	1	B
		ATTACHING PARTS		
- 6	2473	Washer, Plain	30	B
- 7	13XX202B	Washer, Lock	30	B
- 8	537750	Bolt, 5/16-18 X 1-1/8 In. Lg. *	30	B
- 9	401860	† Stud, 3/8 X 1-9/16 In. Lg.	12	B
-10	628372A2	. Sump, Oil	1	B
-11	AN900-10	\$. Gasket, Annular	2	B
-12	2265	. Plug, Oil Drain	1	B
-13	534625	Felt, 3-1/16 X 4-1/16	1	B
-14	632663	Bracket, Engine Mount	4	B
		ATTACHING PARTS		
-15	AN960-616L	Washer, Plain	12	B
-16	AN936A616	Washer, Lock	12	B
-17	2441	Nut, Plain, Hex *	12	B




Figure 25. Oil Sump.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
26- 1	534940	&	Gasket, Suction Tube Assembly	1	JL
- 2	635640		Tube Assembly, Oil Pump Suction	1	JL
- 3	20522		Washer, Plain	2	JL
- 4	AN74A4		Bolt, 1/4 X 15/32 In. Lg.	2	JL
- 5	AN74A3		Bolt.	2	JL
- 6	534743	&	Gasket	1	JL
- 7	635616		Sump Assembly, Oil	1	JL
- 8	AN960-516L		Washer, Plain	28	JL
- 9	13XX202B		Washer, Lock	28	JL
-10	530346		Screw, 5/16 X 7/8	28	JL
-11	AN900-10	&	Gasket.	1	JL
-12	532432		Plug	1	JL




Figure 26. Oil Sump

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
27- 1	536413	\$	Gasket, Intake Manifold Flange	6	D
- 2	629138		Tube Assembly, Intake Manifold, 1-2-3-4-5 Cylinder.	5	D
- 3	629325		Tube Assembly, Intake Manifold, No. 6 Cylinder.	1	D
			ATTACHING PARTS		
- 4	20522		Washer, Plain	24	D
- 5	AN936A416		Washer, Lock	24	D
- 6	24835		Screw, 1/4-20 X 7/8 In. Lg.	24	D
			*		
- 7	631972		Clamp, Hose	8	D
- 8	36151L		Clamp, Hose	8	D
- 9	539487		Clamp Assembly, Hose	2	D
-10	539571		Hose, Intake Manifold.	10	D
-11	535681		Tube, Elbow, 2-4-6 Side	1	D
-12	627820		Tube Assembly, Elbow 1-3-5 Side	1	D
-13	633435		Bracket, Balance Tube	1	D
-14	AN737TW46		Clamp, Balance Tube Bracket	1	D
-15	633434		Tube Assembly, Balance	1	D
			ATTACHING PARTS		
-16	13XX202B		Washer, Lock	RF	D
-17	530346		Screw, 5/16-18 X 7/8 In. Lg.	RF	D
			*		
-18	629411A1		Throttle Assembly, Air (See Figure 29).	1	D
			ATTACHING PARTS		
-19	AN960-516		Washer, Plain	4	D
-20	AN75A15		Bolt	2	D
-21	AN75A26		Bolt	2	D
			*		
-22	2024		Plug, Pipe, 1/8-27 NPTF	1	D




Figure 27. Induction System.




Figure 28. Induction System.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
		1 2 3 4 5 6 7		
28- 1	536413	\$ Gasket, Intake Manifold Flange	6	ABCFJKL
- 2	629138	Tube Assembly, Intake Manifold, 1-2-3-4-5 Cylinder.	5	ABCFJKL
- 3	629325	Tube Assembly, Intake Manifold, No. 6 Cylinder	1	ABCFJKL
ATTACHING PARTS				
- 4	20522	Washer, Plain	24	ABCFJKL
- 5	AN936A416	Washer, Lock	24	ABCFJKL
- 6	24835	Screw, 1/4-20 X 7/8 In. Lg.	24	ABCFJKL
- 7	631972	Clamp, Hose	8	ACFJKL
- 8	36151L	Clamp, Hose	8	ABCFJKL
- 9	539487	Clamp Assembly, Hose	2	ACFJKL
- 9	539487	Clamp Assembly, Hose	4	B
-10	629163	Clamp Assembly, Hose	1	B
-11	539571	Hose, Intake Manifold	10	ACFJKL
-11	539571	Hose, Intake Manifold	8	B
-12	539023	Hose, Throttle Body-to-Manifold	1	B
-13	627011	Tube Assembly, Elbow, 2-4-6 Side	1	AFJKL
-13	630868	Tube Assembly, Elbow, 2-4-6 Side	1	C

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
28-14	629595		Tube Assembly, Elbow, 1-3-5 Side	1	AFJKL
-14	630866		Tube Assembly, Elbow, 1-3-5 Side	1	C
-15	629601		Manifold Assembly	1	B
-16	629518-1H		Plug, Pipe, 1/8-27 NPTF	1	B
-17	628700		Bracket, Balance Tube	1	AJ
-17	631406		Bracket, Balance Tube	1	B
-17	632280		Bracket, Balance Tube	1	C
-17	633129		Bracket, Balance Tube	1	FL
-17	631790		Bracket, Balance Tube	1	K
-18	AN737TW46		Clamp, Balance Tube Bracket	1	ACFJK
-18	AN737TW48		Clamp, Band, Balance Tube	1	L
-18	632444-2		Clamp, Band, Balance Tube	1	B
-19	632369		Tube Assembly, Balance	1	AJ
-19	631220		Tube Assembly, Balance	1	B
-19	631661		Tube Assembly, Balance	1	C
-19	633125		Tube Assembly, Balance	1	F
-19	631745		Tube Assembly, Balance	1	K
-19	635645		Tube Assembly, Balance	1	L
			ATTACHING PARTS		
-20	13XX202B		Washer, Lock	RF	ABCF
-21	530346		Screw, 5/16-18 X 7/8 In. Lg.	RF	AF
-21	539003		Bolt, 5/16-18 X 1-3/8 In. Lg.	2	B
-21	537961		Bolt, 5/16-18 X 1 In. Lg.	2	C
			*		
-22	629397A1		Throttle Assembly, Air (See Figure 26)	1	AFJKL
-22	631287A1		Throttle Assembly, Air (See Figure 28)	1	C
-23	629353		Bushing, Rubber, Air Valve Support	2	AFJKL
-24	629354		Sleeve, Air Valve Support	1	AFJKL
-25	630474		Bracket, Air Throttle Support	1	AFJKL
			ATTACHING PARTS		
-26	537728		Bolt, 1/4-28 X 1-25/32 In. Lg.	1	AFJKL
-27	22661		Nut, Self Locking.	1	AFJKL
			*		
-28	631832		Bracket Assembly, Throttle Body Support	1	C
			ATTACHING PARTS		
-29	24239		Spacer	1	C
-30	539374		Washer	1	C
			*		
-31	538468		Bushing, Throttle Body Support Bracket	2	C
-32	539114		Sleeve, Throttle Body Support Bracket	1	C
-33	632016		Bracket, Throttle Body Support Bracket L. H.	1	C
-34	632015		Bracket, Throttle Body Support Bracket R. H.	1	C
-35	AN4-26A		Bolt, 1/4-28 X 2-29/32 In. Lg.	1	C
-36	AN364-428		Nut, Self Locking.	1	C
-37	627836		Bracket, Air Valve Support	1	AFJKL
			ATTACHING PARTS		
-38	20522		Washer, Plain	2	AFJKL
-39	AN936A416		Washer, Lock	2	AFJKL
-40	2437		Nut, Plain, Hex	2	AFJKL
			*		
-41	627681		Bracket, Crankcase-to-Air Throttle	2	AFJKL
			ATTACHING PARTS		
-42	535666		Screw, 5/16-24 X 25/32 In. Lg.	1	AFJKL
-43	AN936A516		Washer, Lock	1	AFJKL
-44	AN315-5R		Nut, Plain, Hex	1	AFJKL
-45	13XX202B		Washer, Lock	RF	AFK
-46	537750		Screw, 5/16-18 X 1-1/8 In. Lg.	2	AFK
			*		
-47	631836		Bushing, Throttle Support Bracket	2	C
-48	631837		Sleeve, Throttle Support Bracket	1	C
-49	631840		Bracket Assembly, Air Valve Support	1	C
			ATTACHING PARTS		
-50	538100		Washer, Plain	2	C
-51	2437		Nut, Plain, Hex	2	C
			*		
-52	630350	\$	Gasket, Air Throttle Body	1	AFJKL
-52	627368	\$	Gasket, Air Throttle Body	1	C




Figure 29. Induction System.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
29- 1	536413	\$ Gasket, Intake Manifold Flange	6	E	
- 2	629138	Tube Assembly, Intake Manifold, 1-2-3-4-5 Cylinder.	5	E	
- 3	629325	Tube Assembly, Intake Manifold, No. 6 Cylinder	1	E	
		ATTACHING PARTS			
- 4	20522	Washer, Plain	24	E	
- 5	AN936A416	Washer, Lock	24	E	
- 6	24835	Screw, 1/4-20 X 7/8 In. Lg.	24	E	
		*			
- 7	631972	Clamp, Hose	8	E	
- 8	36151L	Clamp, Hose	8	E	
- 9	539487	Clamp Assembly, Hose	2	E	
-10	539571	Hose, Intake Manifold	10	E	
-11	633822	Tube Assembly, Elbow, 2-4-6 Side	1	E	
-12	633821	Tube Assembly, Elbow, 1-3-5 Side	1	E	
-13	628766	Tube Assembly, Balance	1	E	
-14	AN737TW46	Clamp, Balance Tube Bracket	1	E	
-15	633435	Bracket, Balance Tube-to-Sump	1	E	
		ATTACHING PARTS			
-16	13XX202B	Washer, Lock	RF	E	
-17	530346	Screw, 5/16-18 X 7/8 In. Lg.	RF	E	
		*			
-18	628861A1	Throttle Assembly, Air	1	E	
-19	633823	Bracket Assembly, Air Throttle Support	1	E	
-20	2437	Nut, Hex, 1/4-28	1	E	
-21	AN936A416	Washer, Lock	1	E	
-22	AN4-7A	Bolt, 1/4-28 X 29/32 In. Lg.	1	E	
-23	22661	Nut, Self Locking, 1/4-28	1	E	
-24	538100	Washer, Grommet-to-Bracket	1	E	
-25	M330S208	Grommet, Air Throttle Bracket	1	E	
-26	628833	Sleeve, Air Throttle Bracket	1	E	
-27	628816	Bracket, Air Throttle Lower	1	E	
		ATTACHING PARTS			
-28	2437	Nut, Hex, 1/4-28	2	E	
-29	AN936A416	Washer, Lock, 1/4 In.	2	E	
		*			
-30	AN4-26A	Bolt, 1/4-28 X 2-25/32 In. Lg.	1	E	
-31	22661	Nut, Self-Locking, 1/4-28	1	E	
-32	538470	Bracket, Air Valve Support, Left Side	1	E	
-33	539113	Bracket, Air Valve Support, Right Side	1	E	
-34	23890	Nut, Hex, 1/4-20	2	E	
-35	AN936A416	Washer, Lock, 1/4 In.	2	E	
-36	538468	Bushing, Air Valve Support	2	E	
-37	539114	Sleeve, Air Valve Support, Upper	1	E	
-38	630350	\$ Gasket, Air Throttle Body	1	E	

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
30- 1	631684		Gear Assembly, Fuel Pump	1	AFJKL
- 2	539634		. . . Plug	1	AFJKL
- 3	No Number		. . . Gear	NS	AFJKL
- 4	631685	\$	Gasket, Fuel Pump-to-Crankcase	1	AFJKL
- 5	631683		Coupling, Fuel Pump Drive	1	AFJKL
	EQ5991A		Fuel Injector Equipment, Complete	1	AFJKL
	630947-1A1		. . . Fuel Pump Assembly, Complete	1	AFJKL
- 6	No Number		. . . Fuel Pump Assembly	NS	AFJKL
- 7	631882		. . . Elbow, 90 Degree, Fuel Pump Inlet	1	AFJKL
- 8	628436		. . . Elbow, 45 Degree, Fuel Pump-to-Metering Unit	1	AFJKL
- 9	627119		. . . Elbow, 90 Degree, Mixture Return at Fuel Pump	1	AFJKL
-10	628476		. . . Elbow, 45 Degree, Mixture Return at Fuel Pump	1	AFJKL
-11	628438		. . . Fitting, Vapor Return	1	AFJKL
-12	627119		. . . Elbow, 90 Degree, Vapor Return	1	AFJKL
-13	628438		. . . Fitting, Fuel Pump Seal Drain	1	AFJKL
-14	631932		. . . Shroud Assembly	1	AFJKL
-15	532377		. . . Spring	3	AFJKL
-16	626879-1		. . . Grommet	2	AFJKL
-17	AN526-1024-4		. . . Screw	2	AFJKL
-18	534337		. . . Nut, Speed	2	AFJKL
	629399A1		Throttle Body & Control Assembly	1	AFJKL
	629397A1		. . . Throttle & Lever Assembly	1	AFJKL
-19	631819		. . . Shaft, Air Throttle	1	AFJKL
-20	625601		. . . Plate, Air Throttle	1	AFJKL
			ATTACHING PARTS		
-21	539942		. . . Screw	2	AFJKL
			*		
-22	625457		. . . Washer, Plain	2	AFJKL
-23	625327-1		. . . Washer, Wave	2	AFJKL
-24	629329		. . . Lever, Throttle Shaft	1	AFJKL
-25	631818		. . . Lever, Throttle Shaft	1	AFJKL
-26	626813		. . . Pin, Tubular	2	AFJKL
-27	626634		. . . Spring, Idle Adjusting	1	AFJKL
-28	626586		. . . Screw, Idle Adjusting	1	AFJKL
-29	402711	†	. . . Stud, 1/4 X 7/8 In. Lg.	2	AF
-30	629703-2A2		Control Assembly	1	AFJKL
-31	629351		. . . Lever, Mixture Control	1	AFJKL
-32	626813-1		. . . Pin, Tubular	1	AFJKL
-33	630119		. . . Adapter, Fuel Inlet From Pump	1	AFJKL
-34	628478		. . . Elbow, 90 Degree, Fuel Inlet From Pump	1	AFJKL
-35	628438		. . . Fitting, Fuel Outlet-to-Manifold Valve	1	AFJKL
-36	628478		. . . Elbow, 90 Degree, Mixture Return-to-Fuel Pump	1	AFJKL
-37	626183		. . . Gasket	1	AFJKL
-38	539959		. . . Screen and Plug Assembly	1	AFJKL
-39	AN932-2		. . . Plug, Pipe	2	AFJKL
-40	629364		. . . Rod Assembly, Link	1	AFJKL
-41	626634		. . . Spring	1	AFJKL
-42	629330		. . . Rod End	1	AFJKL
-43	MS20365-1032A		. . . Nut, Self Locking	1	AFJKL
-44	625327-2		. . . Washer, Wave	2	AFJKL
-45	537690		. . . Washer, Plain	2	AFJKL
-46	2500		. . . Pin, Cotter	2	AFJKL
-47	501867		. . . Washer, Tab	3	AFJKL
-48	630387		. . . Screw	3	AFJKL
-49	629338		. . . Shroud	1	AFJKL
			ATTACHING PARTS		
-50	20522		. . . Washer, Plain	3	AFJKL
-51	AN936A416		. . . Washer, Lock	3	AFJKL
-52	2437		. . . Nut	3	AFJKL
			*		
-53	635158-14.00		. . . Hose Assembly, Fuel Pump-to-Control	1	AFJKL
-54	635158-10.90		. . . Hose Assembly, Control-to-Fuel Pump	1	AFJKL
-55	635158-32.00		. . . Hose Assembly, Control-to-Manifold Valve	1	AFJKL
	631351A10		. . . Fuel Manifold Valve Assembly	1	AFJKL
-56	631720		. . . Elbow, 90 Degree, Pressure Connector	1	AFJKL
-57	628437		. . . Elbow, 90 Degree, Fuel Inlet	1	AFJKL
-58	627331		. . . Elbow, 45 Degree, Cylinder 1-2-5-6	4	AFJKL
-59	AN780-2		. . . Nipple, Union, Cylinder 3-4	2	AFJKL

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
30-60	634011		... Bracket, Fuel Manifold-to-Crankcase ATTACHING PARTS	1	AFJKL
-61	AN500-10-5		... Screw	2	AFJKL
-62	AN936A10		... Washer, Lock *	2	AFJKL
-63	631330		... Seal	1	AFJKL
-64	626557		... Screen	1	AFJKL
-65	630184		... Spring	1	AFJKL
-66	626553		... Cover	1	AFJKL
			ATTACHING PARTS		
-67	AN500A8-10		... Screw *	4	AFJKL
-68	628154		. . . Tube Assembly, Cylinder 1 & 6	2	AFJKL
	628153		. . . Tube Assembly, Cylinder 2 & 5	2	AFJKL
	628152		. . . Tube Assembly, Cylinder 3 & 4	2	AFJKL
-69	628301		. . . Bracket, Fuel Discharge Tube	1	AFJKL
	628295		. . . Bracket, Fuel Discharge Tube	1	AFJKL
-70	626577-2		. . . Clamp	6	AFJKL
-71	627335D13	*	* . . Nozzle Assembly	6	AFJKL

NOTE: (*) Check dash number on old nozzle for complete part number.




Figure 30. Fuel Injection System.

FIGURE & INDEX NO.	PART NUMBER		DESCRIPTION							UNITS PER ASS'Y.	USABLE ON CODE
			1	2	3	4	5	6	7		
31-1	630763	\$	Gasket							1	B
-2	631263		Coupling, Crankshaft Gear.							1	B
	EQ5965B		Fuel Injector Equipment, Complete.							1	B
	630947-2A1		. . . Fuel Pump Assembly, Complete							1	B
-3	No Number		. . . Fuel Pump Assembly							NS	B
-4	632017		. . . Elbow, 90 Degree, Fuel Pump Inlet							1	B
-5	628437		. . . Elbow, 90 Degree, Fuel Pump Outlet							1	B
-6	628478		. . . Elbow, 90 Degree, Mixture Return							1	B
-7	628476		. . . Elbow, 45 Degree, Vapor Return.							1	B
-8	632115		. . . Elbow, Hose, 45 Degree, Drain							1	B
-9	631764		. . . Shroud Assembly, Fuel Pump							1	B
-10	626879-1		. . . Grommet							3	B
	631415A1		. . . Throttle Body & Control Assembly							1	B
	631408A1		. . . Throttle & Lever Assembly							1	B
-11	630124		. . . Shaft, Throttle							1	B
-12	625601		. . . Plate, Throttle.							1	B
			ATTACHING PARTS								
-13	539942		. . . Screw							2	B
			. . . *								
-14	625327		. . . Washer, Wave							1	B
-15	625457		. . . Washer, Plain							2	B
-16	625238		. . . Collar, Air Throttle							1	B
-17	629871		. . . Lever Assembly, Throttle Nut Control							1	B
-18	626813		. . . Pin, Tubular.							2	B
-19	626634		. . . Spring.							1	B
-20	626586		. . . Screw, Adjusting							1	B
-21	629904-2A2		. . . Control Assembly.							1	B
-22	632081		. . . Lever, Throttle Control.							1	B
-23	2457		. . . Nut							1	B
-24	X604		. . . Pin, Cotter							1	B
-25	628478		. . . Elbow, Fuel Inlet & Fuel Return-to-Pump.							2	B
-26	AN932-2		. . . Plug.							2	B
-27	630119		. . . Adapter							1	B
-28	627119		. . . Elbow							1	B
-29	630119		. . . Adapter							1	B
-30	628437		. . . Elbow, 90 Degree, Fuel Outlet.							1	B
-31	626183		. . . Gasket							1	B
-32	539959		. . . Screen & Plug Assembly.							1	B
-33	625539A1		. . . Rod Assembly, Link							1	B
-34	626634		. . . Spring.							1	B
-35	625542		. . . Rod, End							1	B
-36	MS20365-1032A		. . . Nut, Self Locking.							1	B
-37	625327-2		. . . Washer, Wave							2	B
-38	537690		. . . Washer, Plain							2	B
-39	2500		. . . Pin, Cotter							2	B
-40	501867		. . . Washer, Tab.							3	B
-41	630327		. . . Screw							3	B
-42	632859		. . . Shroud.							1	B
			ATTACHING PARTS								
-43	20522		. . . Washer							3	B
-44	AN936A416		. . . Washer, Lock							3	B
-45	2437		. . . Nut							3	B
			. . . *								
-46	635158-38.00		. . . Hose Assembly, Control-to-Fuel Pump Outlet & Return							2	B
-47	635158-32.00		. . . Hose, Control-to-Manifold Valve.							1	B
	631427A6		. . . Fuel Manifold Valve Assembly							1	B
-48	628437		. . . Elbow, 90 Degree							1	B
-49	631658		. . . Elbow, Fuel Pressure.							1	B
-50	627331		. . . Elbow, Union, 45 Degree							4	B
-51	AN780-2		. . . Nipple, Union							2	B
-52	634011		. . . Bracket, Fuel Manifold-to-Crankcase							1	B
			ATTACHING PARTS								
-53	AN500-10-5		. . . Screw							2	B
-54	AN936A10		. . . Washer, Lock							2	B
			. . . *								
-55	631330		. . . Seal.							1	B
-56	626557		. . . Screen							1	B
-57	627378		. . . Spring.							1	B

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASSY.	USABLE ON CODE
				ATTACHING PARTS	1
-58	626553		... Cover	1	B
-59	AN500A8-10		... Screw *	4	B
31-60	628154		. Tube Assembly	2	B
	628153		. Tube Assembly	2	B
	628152		. Tube Assembly	2	B
-61	631246		. Bracket, Fuel Discharge Tube	1	B
-61	626486		. Bracket, Fuel Discharge Tube	1	B
-62	626577-2		. Clamp	6	B
-63	627335D13	*	*. Nozzle	6	B

NOTE: (*) Check dash number on old nozzle for complete part number.




Figure 31. Fuel Injection System.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS	USABLE							
			1	2	3	4	5	6	7	PER ASS'Y.	ON CODE
32- 1	630763	\$ Gasket, Fuel Pump Adapter	1	C							
- 2	631263	. Coupling, Crankshaft Gear-to-Fuel Pump	1	C							
	EQ5966C	. Fuel Injector Equipment, Complete	1	C							
	630947-2A2	. . Fuel Pump Assembly, Complete	1	C							
- 3	No Number	. . . Fuel Pump Assembly	NS	C							
- 4	632017	. . . Elbow, Fuel Pump Inlet	1	C							
- 5	633121	. . . Elbow, 45 Degree.	1	C							
- 6	628437	. . . Elbow, 90 Degree.	1	C							
- 7	628476	. . . Elbow, 45 Degree	1	C							
- 8	628438	. . . Fitting, Connector	1	C							
- 9	631308	. . . Connector	1	C							
-10	632115	. . . Elbow, 45 Degree, Drain	1	C							
-11	631764	. . . Shroud Assembly	1	C							
-12	626879-1	. . . Grommet	1	C							
	631550A1	. . Throttle Body & Control Assembly	1	C							
	631287A1	. . . Throttle & Lever Assembly	1	C							
-13	633379	. . . Shaft, Throttle	1	C							
-14	625601	. . . Plate, Throttle	1	C							
		ATTACHING PARTS									
-15	539942	. . . Screw	1	C							
-16	625327-1	. . . Washer, Wave	1	C							
-17	625238	. . . Collar, Air Throttle	1	C							
-18	625457	. . . Washer, Plain	2	C							
-19	632556	. . . Lever Assembly, Throttle Heat Control.	1	C							
-20	626813	. . . Pin, Tubular.	2	C							
-21	626634	. . . Spring, Compression	1	C							
-22	626586	. . . Screw, Adjusting	1	C							
-23	632916-2A1	. . . Control Assembly.	1	C							
-24	630146-3	. . . Lever, Mixture Control	1	C							
-25	X604	. . . Pin, Cotter	1	C							
-26	2457	. . . Nut	1	C							
-27	628437	. . . Elbow, 90 Degree, Fuel Inlet	1	C							
-28	628478	. . . Elbow, 90 Degree, Metering Unit-to-Manifold Valve	1	C							
-29	628437	. . . Elbow, 90 Degree, Mixture Return-to-Pump.	1	C							
-30	626183	. . . Gasket	1	C							
-31	539959	. . . Plug & Screen Assembly.	2	C							
-32	AN932-2	. . . Plug, Pipe.	1	C							
-33	632558A1	. . . Rod Assembly, Link	1	C							
-34	626634	. . . Spring.	1	C							
-35	632557	. . . Rod End.	1	C							
-36	MS20365-1032A	. . . Nut, Self Locking.	2	C							
-37	625327-2	. . . Washer, Wave	2	C							
-38	537690	. . . Washer	2	C							
-39	2500	. . . Pin, Cotter	2	C							
-40	501867	. . . Washer, Tab.	2	C							
-41	630387	. . . Screw	1	C							
-42	537629	. . . Screw	1	C							
-43	632551	. . . Shroud	1	C							
		ATTACHING PARTS									
-44	20522	. . . Washer, Plain	1	C							
-45	AN936A416	. . . Washer, Lock	1	C							
-46	2437	. . . Nut	1	C							
-47	635158-12.00	. . . Hose Assembly.	2	C							
-48	635158-40.00	. . . Hose Assembly.	1	C							
	631427A10	. . . Fuel Manifold Valve Assembly	1	C							
-49	631658	. . . Elbow, 90 Degree, Pressure Connector.	1	C							
-50	628437	. . . Elbow, 90 Degree, Fuel Inlet	1	C							
-51	627331	. . . Elbow, Union, 45 Degree	4	C							
-52	AN780-2	. . . Nipple, Union	2	C							
-53	634011	. . . Bracket, Fuel Manifold-to-Crankcase	1	C							
		ATTACHING PARTS									
-54	AN500-10-5	. . . Screw	2	C							
-55	AN936A10	. . . Washer, Lock	2	C							

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
32-56	631330		... Seal	1	C
-57	627378		... Spring	1	C
-58	626553		... Cover	1	C
ATTACHING PARTS					
-60	AN500A8-10		... Screw *	4	C
-61	628154		. Tube Assembly, Cylinder 1 & 6	2	C
	628153		. Tube Assembly, Cylinder 2 & 5	2	C
	628152		. Tube Assembly, Cylinder 3 & 4	2	C
-62	631246		. Bracket, Fuel Discharge Tube	2	C
-63	626577-2		. Clamp	6	C
-64	627335D13	*	* . Nozzle Assembly	6	C

NOTE: (*) Check dash number on old nozzle for complete part number.




Figure 32. Fuel Injection System.

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
33- 1	631684		Gear Assembly, Fuel Pump	1	D
- 2	539634	. .	Plug	1	D
- 3	No Number	. .	Gear	NS	D
- 4	631685	. .	Gasket, Fuel Pump-to-Crankcase	1	D
- 5	631683	. .	Coupling, Fuel Pump Drive	1	D
	EQ6085D	. .	Fuel Injector Equipment, Complete	1	D
	630947-1A3	. .	Fuel Pump Assembly, Complete	1	D
- 6	No Number	. .	Fuel Pump Assembly	NS	D
- 7	628475	. .	Elbow, 90 Degree, Fuel Pump Inlet	1	D
- 8	628438	. .	Fitting, Fuel Outlet	1	D
- 9	627119	. .	Elbow, 90 Degree, Mixture Return-at-Fuel Pump	1	D
-10	628476	. .	Elbow, 45 Degree, Mixture Return-at-Fuel Pump	1	D
-11	628437	. .	Fitting, Fuel Return	1	D
-12	628438	. .	Fitting, Drain	1	D
-13	631764	. .	Shroud Assembly	1	D
-14	626879-1	. .	Grommet	3	D
-15	AN526-1024-4	. .	Screw	1	D
-16	534337	. .	Nut, Speed	1	D
	629431A2	. .	Throttle Body & Control Assembly	1	D
	629411A1	. .	Throttle & Lever Assembly	1	D
-17	625600	. .	Shaft, Air Throttle	1	D
-18	625601	. .	Plate, Air Throttle	1	D
			ATTACHING PARTS		
-19	539942	. .	Screw	2	D
			* - - - -		
-20	625457	. .	Washer, Plain	2	D
-21	625327-1	. .	Washer, Wave	1	D
-22	625228	. .	Lever, Throttle Control	1	D
-23	626813	. .	Pin, Tubular	1	D
-24	626634	. .	Spring, Idle Adjusting	1	D
-25	626586	. .	Screw, Idle Adjusting	1	D
-26	625219-2A13	. .	Control Assembly	1	D
-27	627819	. .	Lever, Mixture Control	1	D
-28	626813	. .	Pin, Tubular	1	D
-29	AN500-10-10	. .	Screw	1	D
-30	13XX260	. .	Lockwasher	1	D
-31	630119	. .	Adapter, Fuel Inlet-from-Pump	1	D
-32	628437	. .	Elbow, 90 Degree, Fuel Inlet	1	D
-33	628437	. .	Elbow, 90 Degree, Fuel Outlet-to-Manifold Valve	1	D
-34	628476	. .	Elbow, 45 Degree, Mixture Return-to-Fuel Pump	1	D
-35	630119	. .	Adapter, Fuel Return-to-Pump	1	D
-36	626183	. .	Gasket	1	D
-37	539959	. .	Screen & Plug Assembly	1	D
-38	AN932-2	. .	Plug, Pipe	2	D
-39	625539	. .	Rod Assembly, Link	1	D
-40	626634	. .	Spring	1	D
-41	625542	. .	Rod End	1	D
-42	MS20365-1032A	. .	Nut, Self Locking	1	D
-43	625327-2	. .	Washer, Wave	2	D
-44	537690	. .	Washer, Plain	2	D
-45	2500	. .	Pin, Cotter	2	D
-46	501867	. .	Washer, Tab	3	D
-47	630327	. .	Screw	3	D
-48	632859	. .	Shroud	1	D
			ATTACHING PARTS		
-49	20522	. .	Washer, Plain	3	D
-50	AN936A416	. .	Washer, Lock	3	D
-51	AN315-4R	. .	Nut, Plain	3	D
			* - - - -		
-52	635158-12.00	. .	Hose Assembly	1	D
-53	635158-10.00	. .	Hose Assembly	1	D
-54	635158-40.00	. .	Hose Assembly	1	D
	631351A6	. .	Fuel Manifold Valve Assembly	1	D
-55	631720	. .	Elbow, 90 Degree, Pressure Connector	1	D
-56	628437	. .	Elbow, 90 Degree, Fuel Inlet	1	D
-57	627331	. .	Elbow, 45 Degree, Cylinder 1-2-5-6	4	D
-58	AN780-2	. .	Nipple, Union, Cylinder 3-4	2	D
-59	634011	. .	Bracket, Fuel Manifold-to-Crankcase	1	D
			ATTACHING PARTS		
-60	AN500-10-5	. .	Screw	2	D
-61	AN936A10	. .	Washer	2	D
			* - - - -		

FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
33-62	631330		.. Seal	1	D
-63	626557		.. Screen	1	D
-64	630184		.. Spring	1	D
-65	626553		.. Cover	1	D
			ATTACHING PARTS		
-66	AN500A8-10		.. Screw *	4	D
-67	628154		. Tube Assembly, Cylinder 1 & 6	2	D
	628153		. Tube Assembly, Cylinder 2 & 5	2	D
	628152		. Tube Assembly, Cylinder 3 & 4	2	D
-68	628301		. Bracket, Fuel Discharge Tube, 1-3-5 Side	1	D
	628295		. Bracket, Fuel Discharge Tube, 2-4-6 Side	1	D
-69	626577-2		. Clamp	6	D
-70	627335D13	*	* . Nozzle Assembly	6	D

NOTE: (*) Check dash number on old nozzle for complete part number.




Figure 33. Fuel Injection System.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
		1 2 3 4 5 6 7		
34- 1	534863	\$ Gasket, Adapter-to-Crankcase	2	All
- 2	534861	Adapter Assembly, Magneto & Accessory Drive	2	All
ATTACHING PARTS				
- 3	2473	Washer, Plain	6	All
- 4	401507	Washer, Plain	2	All
- 5	AN936A516	Washer, Lock	6	All
- 6	AN936A616	Washer, Lock	2	All
- 7	AN315-5R	Nut, Plain, Hex, 5/16-24	6	All
- 8	2441	Nut, Plain, Hex, 3/8-24	2	All
*				
- 9	No Number	. Adapter, Magneto & Accessory Drive	NS	All
-10	534742	. Bushing, Adapter	1	All
-11	25102	\$. Seal, Oil	1	All
-12	25008	† . Stud, 1/4 X 1-3/8 In. Lg.	4	All
-13	629076	Gear Assembly, Magneto & Accessory Drive	2	AEFJKL
-13	629422	Gear Assembly, Magneto & Accessory Drive	2	BCD
-14	No Number	. Gear, Drive	NS	All
-15	629077	. Sleeve, Drive Gear	1	All
-16	531178	Retainer, Magneto Drive Coupling	2	All
-17	531179	Bushing, Drive Coupling, Rubber	4	All
-18	AN4045-1	\$ Gasket, Adapter-to-Cover	2	All
-19	633068	Cover, Accessory Drive	2	All
ATTACHING PARTS				
-20	2472	Washer, Plain	8	All
-21	AN936A616	Washer, Lock	8	All
-22	AN315-4R	Nut, Plain, Hex, 1/4-28	8	All
*				




Figure 34. Magneto and Accessory Drive Assembly.




Figure 35. Ignition System.

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE					
35- 1	534750	\$ Gasket, Magneto-to-Crankcase	2	ADFJL					
- 2	625765	Magneto Assembly, Slick Electro Model No. 662	2	ADFJL					
ATTACHING PARTS									
- 3	535847	Washer, Magneto Holding	4	ADFJL					
- 4	AN936A516	Washer, Lock	4	ADFJL					
- 5	AN315-5R	Nut, Plain, Hex	4	ADFJL					
		*							
- 6	630533	Spark Plug, AC-No. 27	12	ADFJL					
	633311	Harness Assembly, Right and Left Magneto	1	ADFJL					
- 7	633580	* . Cable Assembly, No. 1 Upper 19 In. Lg.	1	ADFJL					
- 8	633579	* . Cable Assembly, No. 1 Lower 38 In. Lg.	1	ADFJL					
- 9	633580	* . Cable Assembly, No. 3 Upper 22 In. Lg.	1	ADFJL					
-10	633579	* . Cable Assembly, No. 3 Lower 42 In. Lg.	1	ADFJL					
-11	633579	* . Cable Assembly, No. 5 Upper 29 In. Lg.	1	ADFJL					
-12	633579	* . Cable Assembly, No. 5 Lower 49 In. Lg.	1	ADFJL					
-13	633580	* . Cable Assembly, No. 2 Upper 21 In. Lg.	1	ADFJL					
-14	633579	* . Cable Assembly, No. 2 Lower 41 In. Lg.	1	ADFJL					
-15	633580	* . Cable Assembly, No. 4 Upper 17 In. Lg.	1	ADFJL					
-16	633579	* . Cable Assembly, No. 4 Lower 38 In. Lg.	1	ADFJL					
-17	633580	* . Cable Assembly, No. 6 Upper 25 In. Lg.	1	ADFJL					
-18	633579	* . Cable Assembly, No. 6 Lower 42 In. Lg.	1	ADFJL					
-19	633586	. Spring	1	ADFJL					
-20	633585	. Screw, Electro	1	ADFJL					
-21	633584	. Sleeve, Insulating	1	ADFJL					
-22	633583	. Ferrule, Drive	1	ADFJL					
-23	633582	. Washer	1	ADFJL					
-24	633581	. Nut, Magneto End	1	ADFJL					
-25	636692	. Clamp Assembly	2	ADFJL					
-26	632105	. Screw	2	ADFJL					
-27	629837	. Nut, Tinnerman	2	ADFJL					
-28	636689	. Clamp Assembly	1	ADFJL					
-29	636690	. . Clamp	1	ADFJL					
-30	636691	. . Bracket	1	ADFJL					
-31	632105	. Screw	1	ADFJL					
-32	629837	. Nut, Tinnerman	1	ADFJL					
-33	AN501-10-8	. Screw	1	ADFJL					
-34	AN936A10	. Washer, Lock	1	ADFJL					
-35	MS20365-1032A	. Nut, Elastic Stop	1	ADFJL					
-36	636688	. Ty-Rap	10	ADFJL					
-37	636684	. Clamp	12	ADFJL					

NOTE: (*) Replacement leads are sold in two lengths only, with magneto end not terminated.
 Part Number 633580 cable assembly for leads up to 28 inches long.
 Part Number 633579 cable assembly for leads up to 50 inches long.




Figure 36. Ignition System.

TABULATED DATA

	B	C	E & K
RIGHT MAGNETO	1T 15.250	16.28	15.250
	2B 39.060	39.45	39.060
	3T 20.060	20.84	20.060
	4B 35.690	37.07	35.690
	5T 28.060	29.44	28.060
	6B 42.060	43.17	42.060
LEFT MAGNETO	1B 35.690	37.55	35.690
	2T 22.060	21.61	22.000
	3B 40.560	41.94	40.560
	4T 18.940	17.98	17.190
	5B 47.560	48.67	47.560
	6T 26.560	25.53	23.060

FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.	USABLE ON CODE
				1 2 3 4 5 6 7
36- 1	534750	\$ Gasket, Magneto-to-Crankcase	2	BCEK
- 2	628472	Magneto Assembly, L. H. Model S6RN-201	1	BE
- 2	632958	Bendix Scintilla No. 10-163020-3	1	C
- 2	632958	Magneto Assembly, L. H. Model S6RN-1201	1	BE
- 2	628473	Bendix Scintilla No. 10-349220-1	1	BE
- 2	632959	Magneto Assembly, R. H. Model S6RN-205	1	C
- 2	632959	Bendix Scintilla No. 10-163060-1	1	C
- 2	631237	Magneto Assembly, R. H. Model S6RN-1205	2	K
- 2	631237	Bendix Scintilla No. 10-349260-1		
		Magneto Assembly (Left & Right)		
		Bendix Scintilla No. 10-7902-10		
		ATTACHING PARTS		
- 3	535847	Washer, Magneto Holding	4	BCEK
- 4	AN936A516	Washer, Lock	4	BCEK
- 5	AN315-5R	Nut, Plain, Hex	4	BCEK
- 6	628036	Spark Plug, Champion No. RHB33E	12	BCE
- 6	630533	Spark Plug	12	K
- 7	628739	Kit, Retard Terminal, L. H. Magneto	1	BCEK
- 8	629010	Washer, Plain	1	BCEK
- 9	629009	Bushing, Insulating	1	BCEK
- 10	629008	Bushing, Shouldered	1	BCEK
- 11	629007	Nut, Coupling, 3/8-32	2	BCEK
- 12	628740	Kit, Ground Terminal, L. H. & R. H. Magneto	1	BCEK
- 13	629010	Washer, Plain	1	BCEK
- 14	629009	Bushing, Insulating	1	BCEK
- 15	629008	Bushing, Shouldered	1	BCEK
- 16	629011	Nut, Coupling, 7/16-28	1	B
	632992	Harness Assembly, Complete	1	C
	633051	Harness Assembly, Complete	1	EK
	633005	Harness Assembly, Complete		
		ATTACHING PARTS		
- 17	AN935-10	Washer, Lock	8	BCEK
- 18	AN501-10-10	Screw	8	BCEK
	No Number	. Harness Assembly, Right Magneto	NS	BCEK
- 19	633008-127	** Cable Assembly, No. 1 Upper (For Lengths See Tab Data)	1	BCEK
- 20	633008-127	** Cable Assembly, No. 2 Lower (For Lengths See Tab Data)	1	BCEK
- 21	633008-127	** Cable Assembly, No. 3 Upper (For Lengths See Tab Data)	1	BCEK
- 22	633008-127	** Cable Assembly, No. 4 Lower (For Lengths See Tab Data)	1	BCEK
- 23	633008-127	** Cable Assembly, No. 5 Upper (For Lengths See Tab Data)	1	BCEK
- 24	633008-127	** Cable Assembly, No. 6 Lower (For Lengths See Tab Data)	1	BCEK
- 25	633009	* Plate, Cable Outlet	6	BCEK
- 26	629498	#* Ferrule, Cable	1	BCEK
- 27	629496	* Grommet, Plate	6	BCEK
- 28	629495	* Eyelet, Cable Contact	NS	BCEK
	No Number	. Harness Assembly, Left Magneto		
- 29	633008-127	** Cable Assembly, No. 1 Lower (For Lengths See Tab Data)	1	BCEK
- 30	633008-127	** Cable Assembly, No. 2 Upper (For Lengths See Tab Data)	1	BCEK
- 31	633008-127	** Cable Assembly, No. 3 Lower (For Lengths See Tab Data)	1	BCEK
- 32	633008-127	** Cable Assembly, No. 4 Upper (For Lengths See Tab Data)	1	C
- 33	633008-128	** Cable Assembly, No. 5 Lower (For Lengths See Tab Data)	1	BEK
- 33	633008-127	** Cable Assembly, No. 5 Lower (For Lengths See Tab Data)	1	BCEK
- 34	633008-127	** Cable Assembly, No. 6 Upper (For Lengths See Tab Data)	1	BCEK
- 35	635982	. Clamp Assembly	1	BCEK
- 36	635987	. Screw	1	BCEK
- 37	631739	. Clamp Assembly	1	BCEK
- 38	632105	. Screw	2	BCEK
- 39	629837	. Nut, Speed	13	BCEK
- 40	632106	. Clamp	2	BC
- 41	631737	. Clamp	9	BCEK
- 42	629494	. Strap		

NOTES: (#) Service Sleeve - Use Thomas & Betts Crimping Tool #WT-217.

(*) Index Nos. 25 through 28 are applicable to Right and Left Harnesses.

(**) Replacement leads are sold in two lengths only with magneto end not terminated.

633008-127 Cable assembly for leads up to 48" long.

633008-128 Cable assembly for leads up to 72" long.

SECTION III
OVERSIZE AND UNDERSIZE PARTS LIST

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
22319P003	Stud	.003" OS on PD	401870P003	Stud	.003" OS on PD
22319P006	Stud	.006" OS on PD	401870P007	Stud	.007" OS on PD
22319P009	Stud	.009" OS on PD	401870P012	Stud	.012" OS on PD
25008P003	Stud	.003" OS on PD	401885P003	Stud	.003" OS on PD
25008P006	Stud	.006" OS on PD	401885P007	Stud	.007" OS on PD
25008P009	Stud	.009" OS on PD	401885P012	Stud	.012" OS on PD
350997P0015	Bushing - C/shaft	.0015" OS on OD	401893P003	Stud	.003" OS on PD
350997P003	Bushing - C/shaft	.003" OS on OD	401893P007	Stud	.007" OS on PD
350997P005	Bushing - C/shaft	.005" OS on OD	401893P012	Stud	.012" OS on PD
35967P005	Insert	.005" OS on OD	401927P003	Stud	.003" OS on PD
35967P010	Insert	.010" OS on OD	401927P007	Stud	.007" OS on PD
35967P015	Insert	.015" OS on OD	401927P012	Stud	.012" OS on PD
35967P020	Insert	.020" OS on OD	401932P003	Stud	.003" OS on PD
35967P030	Insert	.030" OS on OD	401932P007	Stud	.007" OS on PD
350998P0015	Bushing - C/shaft	.0015" OS on OD	401932P012	Stud	.012" OS on PD
350998P003	Bushing - C/shaft	.003" OS on OD	401936P003	Stud	.003" OS on PD
350998P005	Bushing - C/shaft	.005" OS on OD	401936P007	Stud	.007" OS on PD
401800P003	Stud	.003" OS on PD	401936P012	Stud	.012" OS on PD
401800P007	Stud	.007" OS on PD	401944P003	Stud	.003" OS on PD
401800P012	Stud	.012" OS on PD	401944P007	Stud	.007" OS on PD
401801P003	Stud	.003" OS on PD	401944P012	Stud	.012" OS on PD
401801P007	Stud	.007" OS on PD	4019462P003	Stud	.003" OS on PD
401801P012	Stud	.012" OS on PD	4019462P007	Stud	.007" OS on PD
401804P003	Stud	.003" OS on PD	4019462P012	Stud	.012" OS on PD
401804P007	Stud	.007" OS on PD	401963P003	Stud	.003" OS on PD
401804P012	Stud	.012" OS on PD	401963P007	Stud	.007" OS on PD
401808P003	Stud	.003" OS on PD	401963P012	Stud	.012" OS on PD
401808P007	Stud	.007" OS on PD	401965P003	Stud	.003" OS on PD
401808P012	Stud	.012" OS on PD	401965P007	Stud	.007" OS on PD
401814P003	Stud	.003" OS on PD	401965P012	Stud	.012" OS on PD
401814P007	Stud	.007" OS on PD	401977P003	Stud	.003" OS on PD
401814P012	Stud	.012" OS on PD	401977P007	Stud	.007" OS on PD
401863P003	Stud	.003" OS on PD	401977P012	Stud	.012" OS on PD
401863P007	Stud	.007" OS on PD	402034P003	Stud	.003" OS on PD
401863P012	Stud	.012" OS on PD	402034P007	Stud	.007" OS on PD
401842P003	Stud	.003" OS on PD	402034P012	Stud	.012" OS on PD
401842P007	Stud	.007" OS on PD	402127P003	Stud	.003" OS on PD
401842P012	Stud	.012" OS on PD	402127P007	Stud	.007" OS on PD
401852P003	Stud	.003" OS on PD	402127P012	Stud	.012" OS on PD
401852P007	Stud	.007" OS on PD	402129P003	Stud	.003" OS on PD
401852P012	Stud	.012" OS on PD	402129P007	Stud	.007" OS on PD
401860P003	Stud	.003" OS on PD	402129P012	Stud	.012" OS on PD
401860P007	Stud	.007" OS on PD	402131P003	Stud	.003" OS on PD
401860P012	Stud	.012" OS on PD	402131P007	Stud	.007" OS on PD
401861P003	Stud	.003" OS on PD	402131P012	Stud	.012" OS on PD
401861P007	Stud	.007" OS on PD	402151P003	Stud	.003" OS on PD
401861P012	Stud	.012" OS on PD	402151P007	Stud	.007" OS on PD
401863P003	Stud	.003" OS on PD	402151P012	Stud	.012" OS on PD
401863P007	Stud	.007" OS on PD			
401863P012	Stud	.012" OS on PD			

OVERSIZE AND UNDERSIZE PARTS LIST (CONT'D)

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
402153P003	Stud	.003" OS on PD	629726P020	Camshaft	.020" OS on OD
402153P007	Stud	.007" OS on PD			
402153P012	Stud	.012" OS on PD	630046P005	Pin - Piston	.005" OS on OD
402158P003	Stud	.003" OS on PD	630464M010	Bearing - C/shaft	.010" US on ID
402158P007	Stud	.007" OS on PD			
402158P012	Stud	.012" OS on PD	630591P005	Insert	.005" OS on OD
			630591P010	Insert	.010" OS on OD
402159P003	Stud	.003" OS on PD	630591P015	Insert	.015" OS on OD
402159P007	Stud	.007" OS on PD	630591P020	Insert	.020" OS on OD
402159P012	Stud	.012" OS on PD	630591P030	Insert	.030" OS on OD
402711P003	Stud	.003" OS on PD	630752P005	Ring - Piston	.005" OS on OD
402711P007	Stud	.007" OS on PD	630752P010	Ring - Piston	.015" OS on OD
402711P012	Stud	.012" OS on PD	630752P015	Ring - Piston	.015" OS on OD
524183P003	Stud	.003" OS on PD	630753P005	Ring - Piston	.005" OS on OD
524183P007	Stud	.007" OS on PD	630753P010	Ring - Piston	.010" OS on OD
524183P012	Stud	.012" OS on PD	630753P015	Ring - Piston	.015" OS on OD
531590P003	Stud	.003" OS on PD	630789M010	Bearing - C/shaft	.010" US on ID
531590P007	Stud	.007" OS on PD			
531590P012	Stud	.012" OS on PD	631475P010	Piston	.010" OS on OD
			631475P015	Piston	.015" OS on OD
535661P020	Camshaft	.020" OS on OD			
			631496P005	Guide - Valve	.005" OS on OD
535956P003	Stud	.003" OS on PD	631496P010	Guide - Valve	.010" OS on OD
535956P006	Stud	.006" OS on PD	631496P015	Guide - Valve	.015" OS on OD
535956P009	Stud	.009" OS on PD	631496P020	Guide - Valve	.020" OS on OD
			631496P030	Guide - Valve	.030" OS on OD
536563P005	Dowel	.005" OS on OD			
			631729P005	Ring - Piston	.005" OS on OD
538404P003	Stud	.003" OS on PD	631729P010	Ring - Piston	.010" OS on OD
538040P006	Stud	.006" OS on PD	631729P015	Ring - Piston	.015" OS on OD
538040P009	Stud	.009" OS on PD			
			631867P003	Stud	.003" OS on PD
628750M010	Bearing - C/Rod	.010" US on ID	631867P006	Stud	.006" OS on PD
			631867P012	Stud	.009" OS on PD
629401P005	Ring - Piston	.005" OS on OD			
629401P010	Ring - Piston	.010" OS on OD			
629401P015	Ring - Piston	.015" OS on OD			

SECTION IV
REPAIR PARTS SETS AND MATERIALS

PART NUMBER	DESCRIPTION	SIZE	CODE
20705-1	Gasket Paste - Tite Seal, lightweight	1 oz. tube	ALL
632424A1	Gasket Set - Complete Overhaul	Standard	ADEF
632429A1	Gasket Set - Complete Overhaul	Standard	B
632430A1	Gasket Set - Complete Overhaul	Standard	C
630752A2	Ring Set - Complete Engine	Standard	ALL
630752A2P005	Ring Set - Complete Engine	.005" OS on OD	ALL
630752A2P010	Ring Set - Complete Engine	.010" OS on OD	ALL
630752A2P015	Ring Set - Complete Engine	.015" OS on OD	ALL
630464A1	Bearing Set - Crankshaft	Standard	ADEF
630464A1M010	Bearing Set - Crankshaft	.010" US on ID	ADEF
635439A2	Bearing Set - Crankshaft	Standard	BC
630789A2M010	Bearing Set - Crankshaft	.010" US on ID	BC
626531-1	Enamel - Gold, Engine	1 Quart	ALL
626531-2	Enamel, Gold, Engine	1 Gallon	ALL
535011	Lockwire - 0.040 in. dia. steel	Order by the foot	ALL

SECTION V

NUMERICAL PARTS LIST

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
AN100043	14-42	1	AN4-7A	29-22	1
	15-36	1	AN4045-1	14-41	1
AN123861	2-15	1		15-35	1
	3-37	1		34-18	2
	5-32	1	AN5-11A	5-14	1
AN123862	2-19	2		5-23	9
	5-08	2	AN5-12A	2-11	9
	16-23	1		2-26	1
AN123902	17-24	1		5-14	1
AN123962	8-30	1	AN5-14A	2-31	2
AN123965	7-26	1	AN5-15A	18-06	2
AN280H405	9-05	1		20-06	1
	10-06	1	AN5-17A	20-05	1
	16-11	1	AN5-20A	18-05	1
	16-30	1	AN500-10-5	30-61	2
	17-20	1		31-53	2
AN315-4R	6-18	2		32-54	2
	6-32	2		33-60	2
	14-45	4	AN500-10-10	33-29	1
	15-23	6	AN500A10-4	2-36	2
	15-39	4	AN500A416-8	3-34	3
	33-51	3	AN500A8-10	30-67	4
	34-22	8		31-59	4
AN315-5R	2-14	12		32-60	4
	2-28	1		33-66	4
	2-34	2	AN501-10-6	3-44	1
	3-13	1	AN501-10-8	35-33	1
	3-31	4	AN501-10-10	36-18	8
	5-16	1	AN526-10-24-4	30-17	2
	5-22	2		33-15	1
	5-26	12	AN737TW46	27-14	1
	6-13	4		28-18	1
	6-27	1		29-14	1
	16-05	2	AN737TW48	28-18	1
	17-04	2	AN74A3	24-05	2
	17-28	5		26-05	2
	18-08	2	AN74A4	24-04	2
	20-09	2		26-04	2
	23-09	1	AN75A6	18-10	1
	28-44	1		20-11	1
	34-07	6	AN75A10	20-16	1
	35-05	4	AN75A15	18-15	1
	36-05	4		27-20	2
AN315-6R	16-45	2	AN75A26	27-21	2
AN316-9	16-34	1	AN780-2	30-59	2
AN356-820	2-10	3		31-51	2
	3-10	1		32-52	2
	5-29	16		33-58	2
	13-05	12	AN900-10	1-26	1
AN364-428	28-36	1		4-29	1
AN381-25-10	11-06	12		24-09	1
AN4-13A	5-39	6		24-17	2
AN4-15A	5-39	5		25-11	2
AN4-17A	24-08	1		26-11	1
AN4-26A	28-35	1	AN900-12	24-10	1
	29-30	1		25-03	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY
-------------	----------------	--------------

AN900-14	14-55	1
AN900-18	14-15	1
	15-13	2
AN900-22	15-42	1
AN900-28	14-51	1
AN932-2	30-39	2
	31-26	2
	32-32	2
	33-38	2
AN932C2	4-25	2
AN935-10	36-17	8
AN936A10	3-24	4
	3-46	1
	6-35	4
	30-62	2
	31-54	2
	32-55	2
	33-61	2
AN936A416	35-34	1
	3-19	2
	6-17	2
	6-31	2
	13-34	48
	14-03	7
	14-25	6
	14-28	2
	14-44	4
	15-03	1
	15-22	6
	15-38	4
	22-04	5
	22-10	12
	27-05	24
	28-05	24
	28-39	2
	29-05	24
	29-21	1
	29-29	2
	29-35	2
	30-51	3
	31-44	3
	32-45	1
AN936A516	33-50	3
	2-13	12
	2-27	1
	2-33	2
	3-12	1
	3-15	1
	3-30	4
	5-15	1
	5-21	2
	5-25	12
	5-31	5
	6-05	2
	6-12	4
	6-26	1
	16-03	3
	16-28	3
	16-38	2
	17-03	2
	17-27	5
	23-08	1
	28-43	1
	34-05	6
	35-04	4
	36-04	4

PART NUMBER	FIGURE & INDEX	QTY PER ASSY
AN936A616	2-21	1
	3-04	16
	5-10	2
	6-23	9
	15-47	3
	16-44	2
	23-05	4
	25-16	12
	34-06	2
	34-21	8
AN960-10L	3-23	4
	6-34	4
AN960-416L	6-30	2
AN960-516	2-12	12
	2-25	2
	2-32	2
	27-19	4
AN960-516L	26-08	28
AN960-616L	15-46	3
	25-15	12
AN960C916	16-32	1
EQ5965B	31-	1
EQ5966C	32-	1
EQ5991A	30-	1
EQ6085D	33-	1
MS122121	13-10	24
MS122122	4-05	9
MS122162	1-05	5
	4-05	5
MS20073-05.25	5-36	4
MS20365-1032A	30-43	1
	31-36	1
	32-36	1
	33-42	1
	35-35	1
MS24665-302	19-12	1
MS9021-017	6-19	2
	23-03	2
MS9021-038	16-41	1
	17-29	1
MS9021-210	6-01	1
M330S208	29-25	1
X13041	16-13	1
	17-22	1
X1454	7-22	1
	8-23	1
X1473	14-17	1
	15-15	1
X604	31-24	1
	32-25	1
13XX1896	3-25	4
	3-47	1
	6-36	4
13XX202B	21-13	1
	24-15	28
	25-07	30
	26-09	28
13XX260	33-30	1
13XX299	16-33	1
20202	5-03	4
2024	1-21	1
	14-08	1
	27-22	1
2025	1-22	4
	4-27	1
	23-14	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY
-------------	----------------	--------------

2026	22-06	1
20522	5-40	12
	13-33	48
	14-02	7
	14-24	6
	14-27	2
	15-02	1
	15-21	6
	22-03	5
	24-03	2
	26-03	2
	27-04	24
	28-04	24
	28-38	2
	29-04	24
	30-50	3
	31-43	3
	32-44	1
	33-49	3
20655	14-50	4
	15-34	4
21007	13-26	6
	13-29	6
21163	14-40	1
	15-41	1
21208A1	14-38	1
	15-	1
21247	13-37	24
22319	15-26	4
22535	3-28	4
	6-10	4
2265	4-28	1
	24-11	1
	25-04	1
	25-12	1
22661	18-13	1
	20-14	1
	28-27	1
	29-23	1
	29-31	1
22786	21-07	2
22910	14-49	4
	15-33	4
23024	15-08	2
23890	29-34	2
24239	2-20	2
	5-09	2
	21-08	2
	28-29	1
2437	3-20	2
	14-04	7
	14-26	6
	14-29	2
	15-04	1
	22-05	5
	22-16	1
	28-40	2
	28-51	2
	29-20	1
	29-28	2
	30-52	3
	31-45	3
	32-46	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY
-------------	----------------	--------------

2441	2-23	1
	3-05	16
	5-11	2
	6-24	9
	15-48	3
	17-32	2
	21-06	1
	23-06	4
	25-17	12
	34-08	2
	31-23	1
	32-26	1
	3-45	1
	14-48	4
	15-32	4
	34-20	8
	2-17	4
	3-14	1
	3-29	4
	5-13	2
	5-30	5
	5-37	8
	6-04	2
	6-11	4
	6-25	1
	13-22	12
	16-02	3
	16-27	3
	16-37	2
	17-02	2
	17-26	5
	18-07	2
	19-02	4
	20-08	1
	22-09	12
	23-07	1
	24-14	28
	25-06	30
	34-03	6
	6-22	9
	23-04	4
	2-38	6
	6-38	6
	13-20	24
	27-06	24
	28-06	24
	29-06	24
	30-46	2
	31-39	2
	32-39	2
	33-45	2
	34-12	8
	34-11	2
	2-05	12
	20-07	1
	18-09	2
	20-10	2
	17-33	2
	21-05	1
	3-11	1
	22-17	1
	2-07	12
	5-05	4
	13-03	36

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
350997	7-05	8	501867	16-18	1
	7-07	8		17-14	1
	8-05	8		30-47	3
	8-07	8		31-40	3
350998	7-02	8		32-40	2
	8-02	8		33-46	3
352117	7-	2	501868	21-16	1
	8-	2	502287	16-14	1
35967	13-12	6		17-23	1
35971	13-18	6	520112-1	13-07	12
36151L	27-08	8	521649	17-17	1
	28-08	8	524183	4-19	1
	29-08	8	524818	10-02	1
36151R	3-41	2	530346	21-12	1
36181	3-27	1		24-16	28
	6-09	1		26-10	28
401506	2-16	1	530658	11-03	6
401507	17-31	2	531001	2-06	12
	34-04	2		5-04	4
401752	4-24	4		13-02	36
401800	14-06	1	531083	3-26	1
401801	15-06	2		6-08	1
401804	4-06	2	531178	34-16	2
401808	1-06	5	531179	34-17	4
401814	1-07	4	531378	14-31	1
	4-07	4		15-25	1
401816	14-33	1	531547	14-43	4
401836	4-08	1		15-37	4
401842	4-09	2	531548	1-04	2
401860	25-09	12	531590	1-17	1
401861	1-08	16	532377	30-15	1
401863	4-17	2	532432	1-25	1
401870	1-09	2		24-18	2
401885	1-10	12		26-12	1
	4-10	10	534337	30-18	2
401893	1-11	1		33-16	1
	7-18	2	534487	13-30	24
	8-18	2	534609	13-39	48
	13-09	24	534610	13-40	24
	14-32	4	534625	25-13	1
401927	4-11	3	534632	3-	1
401932	4-12	2	534639	13-	6
401936	4-13	5	534655	9-06	1
401944	4-14	3	534685	16-21	1
401962	4-15	1		17-16	1
401963	4-16	2	534715	16-22	1
	14-07	1	534728	3-18	1
401965	1-12	2	534740	3-17	1
	4-14	2		6-15	1
401977	4-18	4	534741	7-29	1
402034	4-19	1	534742	34-10	2
402127	4-09	2	534743	24-12	1
	16-06	2		25-05	1
	17-07	2		26-06	1
402129	1-13	2	534750	35-01	2
402131	17-08	2		36-01	2
402151	1-14	2	534757	7-	1
	4-20	2	534775	16-31	1
	17-06	3	534857	13-31	6
402153	4-21	2	534861	34-02	2
402158	1-15	5	534863	34-01	2
402159	1-16	2	534938	16-24	1
402711	15-27	1	534940	24-01	1
	30-29	2		26-01	1
402941	4-26	4	534980	16-25	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
535008	14-22	1	537750	5-33	1
	15-19	1		16-29	1
535118	13-35	48		16-39	1
535631	22-11	12		21-15	1
535634	14-21	1		25-08	30
	15-18	1		28-46	2
535661	9-01	1	537961	28-21	2
535662	9-03	1	538076	9-07	1
535666	9-04	4	538100	28-50	2
	28-42	1		29-24	1
535681	27-11	1	538185	14-01	1
535810	2-22	1	538304	13-42	12
535823	3-35	1	538404	1-19	24
535847	35-03	4	538468	28-31	2
	36-03	4		29-36	2
535885	14-46	1	538470	29-32	1
	15-30	1	538607	5-20	2
535887	14-47	1	538650	2-29	1
	15-31	1		5-17	1
535900	14-22	1	538727	14-52	1
	15-19	1	538773	3-33	1
535908	14-36	1	538801	3-33	1
	15-29	1	538804	3-32	1
535956	1-18	4	538944-5.31	5-01	1
	4-22	4	538944-6.19	5-02	1
536033	13-25	12	538944-8.88	2-02	2
	13-28	12	538944-10.50	2-01	4
536038	13-37	24	538949	2-30	1
536213	18-02	1		5-18	2
	20-02	1	538969	3-09	1
536379	7-23	6		5-28	16
	8-24	6		13-04	12
536413	27-01	6	538989	2-08	4
	28-01	6		3-08	1
	29-01	6	538999	16-35	2
536421	7-21	1		16-40	1
536552	16-10	1	539003	5-34	1
	17-19	1		28-21	2
536563	7-20	1	539023	28-12	1
	8-20	1	539050-9.81	2-03	1
536615	7-25	1	539050-10.75	2-04	7
	8-29	1		5-06	8
536779	22-15	1	539058	3-03	16
537019	13-23	12		16-43	2
537282	22-07	1	539113	29-33	1
537296	13-38	12	539114	28-32	1
537299	1-28	1		29-37	1
537312	22-02	1	539291	3-	1
537379	13-36	6	539374	5-19	1
537505	1-29	1		5-24	11
537539	18-11	1	539374	28-30	1
	20-12	1	539487	27-09	2
	21-14	2		28-09	4
537629	32-42	1		29-09	2
537650	24-13	1	539518	3-01	4
537690	30-45	2	539523	14-10	2
	31-38	2	539547-31.19	18-01	1
	32-38	2	539547-32.00	20-01	1
	33-44	2		21-17	1
537721	1-03	1	539568	16-15	1
537728	28-26	1	539571	27-10	10
537738	16-26	1		28-11	10
537742	16-04	1		29-10	10
537745	16-01	1	539605	6-06	2
537749	16-20	1			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
539634	30-02	1	626577-2	30-70	6
	33-02	1		31-62	6
539740	13-21	12		32-63	6
539742	13-	6		33-69	6
539785	16-16	1	626586	30-28	1
539800	16-17	1		31-20	1
	17-13	1		32-22	1
539805	16-09	1	626634	33-25	1
	17-21	1		30-27	1
539942	30-21	2		30-41	1
	31-13	2		31-19	1
	32-15	1		31-34	1
	33-19	2		32-21	1
539952	2-09	3		32-34	1
539959	30-38	1		33-24	1
	31-32	1		33-40	1
	32-31	1	626739	7-16	1
	33-37	1	626813	30-26	2
539988	13-13	6		31-18	2
625207	24-02	1		32-20	2
625219-2A13	33-26	1		33-23	1
625228	33-22	1		33-28	1
625238	31-16	1	626813-1	30-32	1
	32-17	1	626879-1	30-16	3
625303	22-01	1		31-10	3
625327	31-14	1		32-12	1
625327-1	30-23	2		33-14	3
	32-16	1	626889	7-17	2
	33-21	1		8-17	2
625327-2	30-44	2	626890	7-27	1
	31-37	2	626963	3-22	2
	32-37	2		6-33	2
	33-43	2	626972-1	23-13	1
625393	13-17	12	626974	7-24	1
625457	30-22	2		8-28	1
	31-15	2	626990	2-35	1
	32-18	2	627011	28-13	1
	33-20	2	627068	18-19	1
625539	33-39	1	627119	30-09	1
625539A1	31-33	1		30-12	1
625542	31-35	1		31-28	1
	33-41	1		33-09	1
625600	33-17	1	627272	18-04	1
625601	30-20	1	627276	18-14	1
	31-12	1	627279	18-16	6
	32-14	1		20-17	4
	33-18	1	627281	18-17	3
625615	13-32	6		20-18	2
625765	35-02	2	627282	18-18	6
625885	14-34	1		20-19	4
625886	14-23	1	627331	30-58	4
626147	13-41	12		31-50	4
626183	30-37	1		32-51	4
	31-31	1		33-57	4
	32-30	1	627335D13	30-71	6
	33-36	1		31-63	6
626189A	22-08	1		32-64	6
626486	31-61	1		33-70	6
626553	30-66	1	627368	28-52	1
	31-58	1	627377	18-03	1
	32-58	1		20-03	1
	33-65	1	627378	31-57	1
626557	30-64	1		32-57	1
	31-56	1	627412	3-21	1
	33-63	1			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
627433	2-18	5	628478	30-34	1
	3-16	1		30-36	1
627673	18-12	1		31-06	1
627673-2	20-13	1		31-25	2
627681	28-41	2		32-28	1
627690	3-07	1	628488	9-	12
627819	33-27	1		10-	12
627820	27-12	1	628491	9-14	12
627836	28-37	1		10-15	12
627841	16-42	1	628698A1	24-13	1
	17-30	1	628700	28-17	1
628004	20-21	1	628730	19-03	4
628036	36-06	12	638739	36-07	1
628109	11-05	12	628740	36-12	2
628136	7-14	4	628750	7-15	6
	8-14	4		8-15	6
628152	30-	2	628760	16-36	1
	31-	2	628766	29-13	1
	32-	2	628816	29-27	1
	33-	2	628833	29-26	1
628153	30-	2	628859	14-	1
	31-	2	628861A1	29-18	1
	32-	2	629007	36-11	1
	33-	2	629008	36-10	1
628154	30-68	2		36-15	1
	31-60	2	629009	36-09	1
	32-61	2		36-14	1
	33-67	2	629010	36-08	1
628257	3-02	1		36-13	1
628295	30-	1	629011	36-16	1
	33-	1	629076	34-13	2
628301	30-69	1	629077	34-15	2
	33-68	1	629104	7-12	16
628372A2	25-10	1		8-12	16
628372A4	25-	1	629105	8-11	16
628436	30-08	1	629117	13-19	6
628437	30-57	1	629138	27-02	5
	31-05	1		28-02	5
	31-30	1		29-02	5
	31-48	1	629163	28-10	1
	32-06	1	629176	16-42	1
	32-27	1		17-30	1
	32-29	1	629201	6-29	1
	32-50	1	629202	6-28	1
	33-11	1	629218	14-	1
	33-32	1	629325	27-03	1
	33-33	1		28-03	1
	33-56	1		29-03	1
628438	30-11	1	629329	30-24	1
	30-13	1	629330	30-42	1
	30-35	1	629338	30-49	1
	32-08	1	629340	11-04	12
	33-08	1	629351	30-31	1
	33-12	1	629353	28-23	2
628472	36-02	1	629354	28-24	1
628473	36-02	1	629360	8-31	1
628475	33-07	1	629364	30-40	1
628476	30-10	1	629397A1	28-22	1
	31-07	1		30-	1
	32-07	1	629399A1	30-	1
	33-10	1	629401	12-05	6
	33-34	1			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
629411A1	27-18	1	630691	19-11	1
	33-	1		21-02	1
629417	20-04	1	630693-10. 44	5-07	1
629422	34-13	2	630693-12. 14	5-07	1
629431A2	33-	1	630694	6-20	1
629436	19-01	1	630695	6-20	1
629448	14-19	1	630752	12-02	6
629494	36-42	9		12-03	6
629495	36-28	6	630763	31-01	1
629496	36-27	1		32-01	1
629498	36-26	6	630849	23-01	2
629518-1	1-23	1	630866	28-14	1
629518-1H	28-16	1	630868	28-13	1
629518-3	1-24	2	630870	6-16	1
629595	28-14	1	630871	6-14	1
629601	28-15	1	630873	4-04	1
629638	19-10	1	630892	6-02	1
629668	17-25	1	630895	17-12	1
629680	8-16	1	630899	4-03	1
629703-2A2	30-30	1	630916	17-01	1
629713	16-08	1	630947-1A1	30-	1
	17-09	1	630947-1A3	33-	1
629726	10-01	1	630947-2A1	31-	1
629747	10-08	1	630947-2A2	32-	1
629748	10-07	1	630966-. 56	25-02	2
629806	22-14	1	630966-4. 0	5-35	3
629825	20-15	1	630969	4-	1
629837	35-27	2	631008	25-01	1
	35-32	1	631014	15-	1
	36-39	2	631016	15-	1
629846	1-31	6	631034	15-01	1
	4-31	6	631056	15-	1
629847	1-30	6	631059	23-02	1
	4-30	6	631075	15-	1
629871	31-17	1	631088-. 44	10-04	4
629904-2A2	31-21	1	631096	4-	1
630039	20-20	1	631121	19-	1
630046	12-06	6	631220	28-19	1
630119	30-33	1	631237	36-02	2
	31-27	1	631246	31-61	1
	31-29	1		32-62	2
	33-31	1	631252	16-12	1
	33-35	1		17-18	1
630124	31-11	1	631263	31-02	1
630146-3	32-24	1		32-02	1
630184	30-65	1	631266-1	3-42	1
	33-64	1	631275-2	3-43	1
630261-27	7-08	2	631287A1	28-22	1
	8-08	2		32-	1
630261-3	7-09	2	631308	32-09	1
	8-09	2	631330	30-63	1
630261-4	7-10	4		31-55	1
	8-10	4		32-56	1
630327	31-41	3		33-62	1
	33-47	3	631351A10	30-	1
630350	28-52	1	631351A6	33-	1
	29-38	1	631367	24-07	1
630387	30-48	3	631390	15-20	1
	32-41	2	631393	6-21	1
630464	7-13	10	631394	6-21	1
630474	28-25	1	631406	28-17	1
630533	35-06	12	631408A1	31-	1
	36-06	12	631415A1	31-	1
630590	19-	1	631427A6	31-	1
630591	13-11	6	631427A10	32-	1
630655	19-08	1	631475	12-01	6
630680	17-11	1	631478	14-54	1
630681	17-	1	631496	13-08	12


PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
631520	12-16	12	632018	8-25	1
631521	13-15	12	632020	6-37	1
631544	13-36	6	632062-12	3-38	1
631547	19-04	1	632062-15	3-38	1
631550A1	32-	1	632062-16	3-38	1
631596	1-	1	632062-2A1	3-	1
631618	14-11	1	632062-4	3-38	1
	15-09	1	632081	31-22	1
631638	14-53	1	632085	14-37	1
631641	15-	1	632092-4	10-05	1
631645	15-49	1	632105	35-26	2
631646	15-50	1		35-31	1
631650	14-35	1		36-38	1
	15-28	1	632106	36-40	13
631653	14-13	1	632112	18-20	1
	15-11	1	632115	31-08	1
631658	23-12	1		32-10	1
	31-49	1	632120	5-27	4
	32-49	1	632125	19-13	1
631661	28-19	1	632126	23-16	1
631674	13-01	6	632149	3-43	1
631683	30-05	1	632151	3-40	1
	33-05	1	632224	23-11	1
631684	30-01	1	632266	15-43	1
	33-01	1	632276	23-11	1
631685	30-04	1	632280	28-17	1
	33-04	1	632357	3-06	1
631714	14-	1	632369	28-19	1
631714A1	14-	1	632379	15-53	1
631714A2	14-	1	632399	15-44	1
631716A2	7-	1	632436	19-06	1
631720	30-56	1		21-03	1
	33-55	1	632437	19-05	1
631729	12-04	6		21-04	1
631737	36-41	2	632443-4	5-41	6
631739	36-37	1		7-19	2
631745	28-19	1		8-19	2
631755	3-	1	632443-6	5-38	4
631764	31-09	1	632444-2	28-18	1
	32-11	1	632551	32-43	1
	33-13	1	632556	32-19	1
631783	15-52	1	632557	32-35	1
631784	15-51	1	632558A1	32-33	1
631790	28-17	1	632590	19-04	1
631818	30-25	1	632663	25-14	4
631819	30-19	1	632761	14-14	1
631832	28-28	1		15-12	1
631836	28-47	2	632762	14-18	1
631837	28-48	1		15-16	1
631840	28-49	1	632823	22-12	1
631845	9-02	1	632824	22-13	1
	10-03	1	632859	31-42	1
631867	1-20	12		33-48	1
	4-23	36	632881	15-45	1
631882	30-07	1	632892	8-21	1
631915	3-40	1	632893	8-22	1
631927	1-27	1	632916-2A1	32-23	1
631928	3-39	1	632946	24-06	1
631932	30-14	1	632958	36-02	1
631968	7-	2	632959	36-02	1
	8-	2	632964-1	6-03	1
631972	27-07	8	632964-2	6-03	1
	28-07	8	632970	15-	1
	29-07	8	632977	15-	1
631995	14-56	1	632977A1	15-	1
632015	28-34	1	632992	36-	1
632016	28-33	1	633005	36-	1
632017	31-04	1			
	32-04	1			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
633008-127	36-19	1	633977	2-37	1
	36-20	1	634011	30-60	1
	36-21	1		31-52	1
	36-22	1		32-53	1
	36-23	1		33-59	1
	36-24	1	634021	8-27	2
	36-29	1	634063	23-10	1
	36-30	1	634065	23-15	1
	36-31	1	634080	8-26	4
	36-32	1	634150	14-12	1
	36-33	1		15-10	1
	36-34	1	634571	21-10	1
633008-128	36-33	1	634592	16-42	1
633009	36-25	1	634617	21-11	1
633051	36-	1	634628	23-12	1
633068	34-19	2	634630	3-40	1
633121	32-05	1	634657	21-09	1
633125	28-19	1	634673	3-02	1
633129	28-17	1	634685	1-	1
633178	14-16	1	634693	21-01	1
	15-14	1	634936	2-37	1
633189	7-03	1	634937	6-37	1
	8-03	1	635049	17-	1
633191	2-37	1	635049A1	17-	1
633233-3	6-07	1	635050	16-	1
633287	23-	1			
633288	23-	1	635050A4	16-	1
633311	35-	1			
633379	32-13	1	635158-10.00	30-54	1
633403	11-	6		33-53	1
633412	24-13	1	635158-12.00	32-47	2
633434	27-15	1		33-52	1
633435	27-13	1	635158-14.00	30-53	1
	29-15	1	635158-32.00	30-55	1
633442	14-19	1		31-47	1
633450	2-37	1	635158-38.00	31-46	2
633579	35-08	1	635158-40.00	32-48	1
	35-10	1		33-54	1
	35-11	1	635169	16-31	1
	35-12	1	635439	8-13	10
	35-14	1	635448	13-	6
	35-16	1	635448A1	13-	6
	35-18	1	635616	24-13	1
633580	35-07	1		26-07	1
	35-09	1	635623	7-11	16
	35-13	1	635640	24-02	1
	35-15	1		26-02	1
	35-17	1	635645	28-19	1
633581	35-24	1	635720	13-14	6
633582	35-23	1	635960	2-37	1
633583	35-22	1	635982	36-35	1
633584	35-21	1	635987	36-36	1
633585	35-20	1	636190	2-37	1
633586	35-19	1	636196	2-37	1
633620A2	8-	1	636684	35-37	12
633821	29-12	1	636688	35-36	10
633822	29-11	1	636689	35-28	1
633823	29-19	1	636690	35-29	1
633845	16-19	1	636691	35-30	1
	17-15	1	636692	35-25	2

TABLE OF CONTENTS


IO-520-A Spec. 4	A1
IO-520-A Spec. 5	A3
IO-520-A Spec. 6	A5
IO-520-A Spec. 9	A7
IO-520-B Spec. 2	B1
IO-520-B Spec. 6A	B3
IO-520-C Spec. 3A	C1
IO-520-D Spec. 2	D1
IO-520-D Spec. 4	D3
IO-520-D Spec. 7	D7
IO-520-D Spec. 9A	D9
IO-520-D Spec. 11	D11
IO-520-D Spec. 17	D15
IO-520-F Spec. 2	F1
IO-520-F Spec. 3A	F7

10-520-A SPEC 4




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627321		Regulator, Voltage, 12 Volt, 50 Amp.	1

10-520-A SPEC 5




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	536038		Nut, Special	24




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	628257		Bracket, Engine Mount	1
- 2	632357		Spacer	1

10-520-A SPEC 5




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	537750		Bolt	1
- 2	501868		Washer, Tab	1

10-520-A SPEC 6




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	631658		Elbow, 90 Degrees, Fuel Pressure-at-Manifold Valve	1




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	628475		Elbow, 90 Degrees, Fuel Pump Inlet	1
- 2	628434		Connector, Fuel Pump Adapter Drain.	1

IO-520-A SPEC 6




INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	538517A1	Sump Assembly, Oil, Complete	1
- 2	No Number	. Sump Assembly, Oil	1
- 2	629518-4H	. Plug, Oil Drain	1





INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	539914	Bracket, Engine Mount	4

10-520-A SPEC 9




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	538517A1		Sump Assembly, Oil, Complete	1
- 2	No Number		. Sump Assembly, Oil	1
- 2	629518-4H		. Plug, Oil Drain	1




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627273		Generator, 12 Volt, 35 Amp.	1
- 2	627322		Regulator, Voltage & Current	1

10-520-A SPEC 9



INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	626334	Plug, Special, Crankcase Vernatherm Hole	1
- 2	625966	Gasket	1
- 3	AN123866	O-Ring, Vernatherm Hole Plug	1




INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	630050	Oil Cooler	1
- 2	626342	Gasket, Oil Cooler to Plate	1
- 3	626332	Plate, Oil Cooler	1
- 4	535668	Screw	12
- 5	632341	Gasket, Plate to Crankcase	1
- 6	627702	Vernatherm, Control Assembly	1


10-520-A SPEC 9

INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	631237		Magneto Assembly, Model S6RN-25	
			Bendix Scintilla No. 10-79020-10.	2
- 2	352024		Kit, Ground Terminal, L. H. & R. H. Magneto	2
- 3	25318		. Nut, 5/8-24	1
- 4	25317		. Ferrule, Shielded Ground Wire, Outer	1
- 5	25316		. Ferrule, Shielded Ground Wire, Inner	1
- 6	530455		. Sleeve, Insulating	1
- 7	25314		. Washer, Special	1
- 8	25321		Washer, Lock	8
- 9	25320		Screw, 10-32 X 5/8 In. Lg.	8
-10	25312		Plate, 6 Cylinder Shielded Cable Outlet	2
-11	36219		Grommet, Plate	2
-12	627001		Sleeve, Magneto Distributor Block	12
-13	627002		Washer, Magneto Block	12
	627805		Harness Assembly, Left Magneto.	1
-14	627040-36.94		. Cable Assembly, No. 1 Cylinder, Lower	1
-15	627040-19.44		. Cable Assembly, No. 2 Cylinder, Upper	1
-16	627040-37.19		. Cable Assembly, No. 3 Cylinder, Lower	1
-17	627040-18.94		. Cable Assembly, No. 4 Cylinder, Upper	1
-18	627040-42.19		. Cable Assembly, No. 5 Cylinder, Lower	1
-19	627040-23.19		. Cable Assembly, No. 6 Cylinder, Upper	1
	627804		Harness Assembly, Right Magneto	1
-20	627040-16.19		. Cable Assembly, No. 1 Cylinder, Upper	1
-21	627040-39.19		. Cable Assembly, No. 2 Cylinder, Lower	1
-22	627040-19.44		. Cable Assembly, No. 3 Cylinder, Upper	1
-23	627040-35.69		. Cable Assembly, No. 4 Cylinder, Lower	1
-24	627040-22.69		. Cable Assembly, No. 5 Cylinder, Upper	1
-25	627040-41.69		. Cable Assembly, No. 6 Cylinder, Lower	1
	539140		Bracket Assembly, Ignition Harness (6 Wire)	1
-26	630093		. Bracket and Nut Assembly	1
-27	535557		. Clip, Ignition Harness Bracket	1
-28	AN936A8		. Washer, Lock	2
-29	AN515-8-6		. Screw, No. 8-32 X 3/8 In. Lg.	2
-30	627921		Clamp, Ignition Harness	2
-31	627759		Bolt, No. 6-32 X 5/16 In. Lg.	2
-32	627756		Nut, No. 6-32	2
-33	626577-2R		Clamp, Ignition Cable	12

10-520-A SPEC 9




10-520-B SPEC 2




INDEX NO.	PART NUMBER	DESCRIPTION							UNITS PER ASS'Y.
		1	2	3	4	5	6	7	
- 1	632958	Magneto Assembly, L. H., Model S6RN-1201 Bendix Scintilla No. 10-349220-1.							1
- 1	632959	Magneto Assembly, R. H., Model S6RN-1205 Bendix Scintilla No. 10-349260-1.							1
	633051	Harness Assembly, Complete.							1
	No Number	. . Harness Assembly, Right Magneto.							NS
- 2	633008-127 **	. . . Cable Assembly, No. 1 Upper, 16.28 In. Lg.							1
- 3	633008-127 **	. . . Cable Assembly, No. 2 Lower, 39.45 In. Lg.							1
- 4	633008-127 **	. . . Cable Assembly, No. 3 Upper, 20.84 In. Lg.							1
- 5	633008-127 **	. . . Cable Assembly, No. 4 Lower, 37.07 In. Lg.							1
- 6	633008-127 **	. . . Cable Assembly, No. 5 Upper, 29.44 In. Lg.							1
- 7	633008-127 **	. . . Cable Assembly, No. 6 Lower, 43.17 In. Lg.							1
- 8	633009 *	. . . Plate, Cable Outlet.							1
- 9	629498 *#	. . . Ferrule, Cable.							6
-10	629496 *	. . . Grommet, Plate.							1
-11	629495 *	. . . Eyelet, Cable Contact.							6
	No Number	. . Harness Assembly, Left Magneto.							NS
-12	633008-127 **	. . . Cable Assembly, No. 1 Lower, 37.55 In. Lg.							1
-13	633008-127 **	. . . Cable Assembly, No. 2 Upper, 21.61 In. Lg.							1
-14	633008-127 **	. . . Cable Assembly, No. 3 Lower, 41.94 In. Lg.							1
-15	633008-127 **	. . . Cable Assembly, No. 4 Upper, 17.98 In. Lg.							1
-16	633008-127 **	. . . Cable Assembly, No. 5 Lower, 48.67 In. Lg.							1
-17	633008-127 **	. . . Cable Assembly, No. 6 Upper, 25.53 In. Lg.							1

10-520-B SPEC 6A



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634785		Alternator	1



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634592		Starter, 12 Volt	1

IO-520-C SPEC 3A




FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634433		Starter	1
- 2	635049A1		Adapter Assembly, Starter	1






FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634445		Alternator	1

10-520-D SPEC 2




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	539547-31.19		Belt, Generator Driven	1
- 2	536213		Spacer, Generator Driven	1
- 3	627377		Sheave, Generator Driven	1
- 4	627272		Generator, 12 Volt, 50 Amp	1
ATTACHING PARTS				
- 5	AN5-20A		Bolt	1
- 6	AN5-15A		Bolt	1
- 7	2473		Washer, Plain	1
- 8	AN315-5R		Nut, Plain, Hex	2
- 9	2560		Palnut	2
-10	AN75A6		Bolt	1
-11	537539		Washer, Plain	1
		*		
-12	627673		Idler, Kiss	1
ATTACHING PARTS				
-13	22661		Nut, Self Locking, 1/4-28	1
		*		
-14	627276		Bracket, Generator Adjusting Arm	1
-15	AN75A15		Screw	1
-16	627279		Washer, Special	6
-17	627281		Bushing, Spacer	3
-18	627282		Bushing, Rubber	6
-19	627068		Bracket, Generator Support	1
-20	632112		Bracket Assembly, Kiss Idler	1
-21	627690		Bracket, Generator Mounting	1
-22	2794		Washer	1
-23	AN936A516		Washer, Lock	1
-24	AN315-5R		Nut, Plain, Hex	1

10-520-D SPEC 2




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627321		Regulator, Voltage, 12 Volt, 50 Amp.	1

10-520-D SPEC 4




INDEX NO.	PART NUMBER	DESCRIPTION							UNITS PER ASS'Y.
		1	2	3	4	5	6	7	
- 1	539547-31.19	Belt, Generator Driven							1
- 2	536213	Spacer, Generator Driven							1
- 3	627377	Sheave, Generator Driven							1
- 4	627272	Generator, 12 Volt, 50 Amp.							1
ATTACHING PARTS									
- 5	AN5-20A	Bolt.							1
- 6	AN5-15A	Bolt.							1
- 7	2473	Washer, Plain							1
- 8	AN315-5R	Nut, Plain, Hex							2
- 9	2560	Palnut.							2
-10	AN75A6	Bolt.							1
-11	537539	Washer, Plain							1
-12	627673	Idler, Kiss							1
ATTACHING PARTS									
-13	22661	Nut, Self Locking, 1/4-28	*						1
-14	627276	Bracket, Generator Adjusting Arm							1
-15	AN75A15	Screw							1
-16	627279	Washer, Special							6
-17	627281	Bushing, Spacer							3
-18	627282	Bushing, Rubber							6
-19	627068	Bracket, Generator Support							1
-20	632112	Bracket Assembly, Kiss Idler							1
-21	627690	Bracket, Generator Mounting							1
-22	2794	Washer							1
-23	AN936A516	Washer, Lock							1
-24	AN315-5R	Nut, Plain, Hex							1

10-520-D SPEC 4




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627321		Regulator, Voltage, 12 Volt, 50 Amp.	1




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634179		Magnetic Switch, 12 Volt	1

10-520-D SPEC 4



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	628437		Elbow, 90 Degrees, Fuel Pump-to-Metering Unit	1
- 2	631882		Elbow, 90 Degrees, Fuel Pump Inlet	1

10-520-D SPEC 7



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627841		Starter, 24 Volt	1

10-520-D SPEC 9A






FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION							UNITS PER ASS'Y.
		1	2	3	4	5	6	7	
- 1	634592	Starter							1
- 2	634660	Magnetic Switch							1
- 3	635050A4	Adapter Assembly, Starter							1
- 4	635169	Sheave							1

10-520-D SPEC 11



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627321		Regulator, Voltage, 12 Volt, 50 Amp.	1



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634179		Magnetic Switch, 12 Volt	1

10-520-D SPEC 11





FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	631927	Housing, Oil Gage Rod	1



INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	628437	Elbow, 90 Degrees, Fuel Pump-to-Metering Unit	1
- 2	631882	Elbow, 90 Degrees, Fuel Pump Inlet	1

10-520-D SPEC 11




FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	625238		Collar, Air Throttle	1
	628308A2		Throttle Body & Control Assembly	1
	627888A1		. Throttle & Lever Assembly	1






FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
	630947-1A4		Fuel Pump Assembly, Complete	1
- 1	631882		Elbow, 90 Degree, Fuel Pump Inlet	1
- 2	628437		Elbow, 90 Degree, Fuel Outlet	1

10-520-D SPEC 11




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS
				PER ASS'Y.
- 1	539547-31.19		Belt, Generator Driven	1
- 2	536213		Spacer, Generator Driven	1
- 3	627377		Sheave, Generator Driven	1
- 4	627272		Generator, 12 Volt, 50 Amp.	1
ATTACHING PARTS				
- 5	AN5-20A		Bolt	1
- 6	AN5-15A		Bolt	1
- 7	2473		Washer, Plain	1
- 8	AN315-5R		Nut, Plain, Hex	2
- 9	2560		Palnut.	2
-10	AN75A6		Bolt	1
-11	537539		Washer, Plain	1
		*		
-12	627673		Idler, Kiss	1
ATTACHING PARTS				
-13	22661		Nut, Self Locking, 1/4-28	1
		*		
-14	627276		Bracket, Generator Adjusting Arm	1
-15	AN75A15		Screw	1
-16	627279		Washer, Special	6
-17	627281		Bushing, Spacer	3
-18	627282		Bushing, Rubber	6
-19	627068		Bracket, Generator Support	1
-20	632112		Bracket Assembly, Kiss Idler	1
-21	627690		Bracket, Generator Mounting	1
-22	2794		Washer	1
-23	AN936A516		Washer, Lock	1
-24	AN315-5R		Nut, Plain, Hex	1

10-520-D SPEC 17




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	627321		Regulator, Voltage, 12 Volt, 50 Amp.	1



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	634179		Magnetic Switch, 12 Volt	1

IO-520-D SPEC 17



INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.				
			1	2	3	4	5
- 1	539547-31.19	Belt, Generator Driven	1				
- 2	536213	Spacer, Generator Driven	1				
- 3	627377	Sheave, Generator Driven	1				
- 4	627272	Generator, 12 Volt, 50 Amp.	1				
ATTACHING PARTS							
- 5	AN5-20A	Bolt.	1				
- 6	AN5-15A	Bolt.	1				
- 7	2473	Washer, Plain	1				
- 8	AN315-5R	Nut, Plain, Hex	2				
- 9	2560	Pahnut.	2				
- 10	AN75A6	Bolt.	1				
- 11	537539	Washer, Plain	1				
- 12	627673	Idler, Kiss	1				
ATTACHING PARTS							
- 13	22661	Nut, Self Locking, 1/4-28	1				
- 14	627276	Bracket, Generator Adjusting Arm	1				
- 15	AN75A15	Screw	1				
- 16	627279	Washer, Special	6				
- 17	627281	Bushing, Spacer	3				
- 18	627282	Bushing, Rubber	6				
- 19	627068	Bracket, Generator Support	1				
- 20	632112	Bracket Assembly, Kiss Idler	1				
- 21	627690	Bracket, Generator Mounting	1				
- 22	2794	Washer	1				
- 23	AN936A516	Washer, Lock	1				
- 24	AN315-5R	Nut, Plain, Hex	1				

10-520-D SPEC 17




FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	625238		Collar, Air Throttle	1
	628308A2		Throttle Body & Control Assembly	1
	627888A1		. Throttle & Lever Assembly	1




FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
	630947-1A4		Fuel Pump Assembly, Complete	1
- 1	631882		Elbow, 90 Degree, Fuel Pump Inlet	1
- 2	628437		Elbow, 90 Degree, Fuel Outlet	1

10-520-D SPEC 17






FIGURE & INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	631927		Housing, Oil Gage Rod	1

10-520-F SPEC 2




INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	630050	Oil Cooler	1
- 2	626342	Gasket, Oil Cooler to Plate	1
- 3	626332	Plate, Oil Cooler	1
- 4	535668	Screw	12
- 5	632341	Gasket, Plate to Crankcase	1
- 6	627702	Vernatherm, Control Assembly	1




INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	626334	Plug, Special, Crankcase Vernatherm Hole	1
- 2	625966	Gasket	1
- 3	AN123866	O-Ring, Vernatherm Hole Plug	1

10-520-F SPEC 2




INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	539518		Bracket, Engine Mount	4



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS'Y.
- 1	626486		Bracket, Fuel Discharge Tube	1

10-520-F SPEC 2



INDEX NO.	PART NUMBER	DESCRIPTION	UNITS PER ASS'Y.
		1 2 3 4 5 6 7	
- 1	539547-31.19	Belt, Generator Driven	1
- 2	536213	Spacer, Generator Driven	1
- 3	627377	Sheave, Generator Driven	1
- 4	627272	Generator, 12 Volt, 50 Amp.	1
ATTACHING PARTS			
- 5	AN5-20A	Bolt	1
- 6	AN5-15A	Bolt	1
- 7	2473	Washer, Plain	1
- 8	AN315-5R	Nut, Plain, Hex	2
- 9	2560	Palnut	2
-10	AN75A6	Bolt	1
-11	537539	Washer, Plain	1
-12	627673	Idler, Kiss	1
ATTACHING PARTS			
-13	22661	Nut, Self Locking, 1/4-28	1
-14	627276	Bracket, Generator Adjusting Arm	1
-15	AN75A15	Screw	1
-16	627279	Washer, Special	6
-17	627281	Bushing, Spacer	3
-18	627282	Bushing, Rubber	6
-19	627068	Bracket, Generator Support	1
-20	632112	Bracket Assembly, Kiss Idler	1
-21	627690	Bracket, Generator Mounting	1
-22	2794	Washer	1
-23	AN936A516	Washer, Lock	1
-24	AN315-5R	Nut, Plain, Hex	1

10-520-F SPEC 2





FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION	UNITS				
			1	2	3	4	5
- 1	631237	Magneto Assembly, Model S6RN-25					
		Bendix Scintilla No. 10-79020-10.	2				
- 2	352024	Kit, Ground Terminal, L. H. & R. H. Magneto	2				
- 3	25318	Nut, 5/8-24	1				
- 4	25317	Ferrule, Shielded Ground Wire, Outer	1				
- 5	25316	Ferrule, Shielded Ground Wire, Inner	1				
- 6	530455	Sleeve, Insulating	1				
- 7	25314	Washer, Special	1				
- 8	25321	Washer, Lock	8				
- 9	25320	Screw, 10-32 X 5/8 In. Lg.	8				
- 10	25312	Plate, 6 Cylinder Shielded Cable Outlet	2				
- 11	36219	Grommet, Plate	2				
- 12	627001	Sleeve, Magneto Distributor Block	12				
- 13	627002	Washer, Magneto Block	12				
	627805	Harness Assembly, Left Magneto	1				
- 14	627040-36.94	Cable Assembly, No. 1 Cylinder, Lower	1				
- 15	627040-19.44	Cable Assembly, No. 2 Cylinder, Upper	1				
- 16	627040-37.19	Cable Assembly, No. 3 Cylinder, Lower	1				
- 17	627040-18.94	Cable Assembly, No. 4 Cylinder, Upper	1				
- 18	627040-42.19	Cable Assembly, No. 5 Cylinder, Lower	1				
- 19	627040-23.19	Cable Assembly, No. 6 Cylinder, Upper	1				
	627804	Harness Assembly, Right Magneto	1				
- 20	627040-16.19	Cable Assembly, No. 1 Cylinder, Upper	1				
- 21	627040-39.19	Cable Assembly, No. 2 Cylinder, Lower	1				
- 22	627040-19.44	Cable Assembly, No. 3 Cylinder, Upper	1				
- 23	627040-35.69	Cable Assembly, No. 4 Cylinder, Lower	1				
- 24	627040-22.69	Cable Assembly, No. 5 Cylinder, Upper	1				
- 25	627040-41.69	Cable Assembly, No. 6 Cylinder, Lower	1				
- 26	627921	Clamp, Ignition Harness	2				
- 27	627759	Bolt, No. 6-32 X 5/16 In. Lg.	2				
- 28	627756	Nut, No. 6-32	2				
- 29	626577-2R	Clamp, Ignition Cable	12				

10-520-F SPEC 2



INDEX NO.	PART NUMBER	1 2 3 4 5 6 7	DESCRIPTION	UNITS PER ASS.Y.
- 1	627321		Regulator, Voltage, 12 Volt, 50 Amp.	1

10-520-F SPEC 3A




FIGURE & INDEX NO.	PART NUMBER	DESCRIPTION							UNITS PER ASS'Y.
		1	2	3	4	5	6	7	
- 1	634592	Starter							1
- 2	634660	Magnetic Switch							1
- 3	635050A4	Adapter Assembly, Starter							1
- 4	635169	Sheave							1